

# THE GRANITE GROUP

## ENERGY PRODUCTS CATALOG - FALL 2021

PROPANE EQUIPMENT, PRODUCTS, & ACCESSORIES

PROUDLY FEATURING THE FOLLOWING  
MANUFACTURING PARTNERS:

**REGO**

**Continental  
Industries**

**X-Riser**

**Rinnai**

**WARD Flex**

**Fairview**

**MANCHESTER  
TANK**

**KOHLER**  
Generators



[www.thegranitegroup.com](http://www.thegranitegroup.com)

**THE  
GRANITE  
GROUP**  
**SOLID AS OUR NAME**

## TABLE OF CONTENTS

|                                                                                                             |         |
|-------------------------------------------------------------------------------------------------------------|---------|
| Burnaby Gas Outlet Box .....                                                                                | 24      |
| Copper Tubing & Coated Copper .....                                                                         | 9       |
| Delivery Hose, Hose End Filling Gun, and Adaptors .....                                                     | 32 - 33 |
| Dielectric Unions .....                                                                                     | 18      |
| Dormot Gas Connectors .....                                                                                 | 20 - 23 |
| Dwyer Manometers .....                                                                                      | 34      |
| Flare Fittings .....                                                                                        | 7 - 8   |
| Gas Ball Valves .....                                                                                       | 10      |
| Gauging Drill Kits, Individual Drills,<br>Tapered Broaches and Gauging Reamers by Anderson Forrester .....  | 28      |
| Kohler Generators .....                                                                                     | 35      |
| LP Meters & Accessories .....                                                                               | 30      |
| Manchester Tanks .....                                                                                      | 2       |
| Maxitrol Regulators .....                                                                                   | 15      |
| NFPA Code Books .....                                                                                       | 32      |
| PE Yellow Gas Pipe, Anodless Risers, Flex Risers,<br>Constab Fittings, Underground Piping Accessories ..... | 19 - 20 |
| Pigtails & Hogtails .....                                                                                   | 17 - 18 |
| POL Fittings, Adaptors, & Valves .....                                                                      | 27      |
| Pressure Testing .....                                                                                      | 26      |
| Propane Labels .....                                                                                        | 31      |
| Rego Regulators .....                                                                                       | 10 - 15 |
| Repair Parts: Ignitors, Thermopiles, Thermocouples, & Pilot Assemblies ....                                 | 24 - 25 |
| Rinnai Water Heaters & Direct Vent Heaters .....                                                            | 29 - 30 |
| Sherlock Leak Dectector .....                                                                               | 28      |
| Stainless Steel Flex Connectors .....                                                                       | 18      |
| Sumter Coatings Tank Paint .....                                                                            | 28      |
| Tank Accessories & Replacement Parts .....                                                                  | 3 - 6   |
| Tee Blocks .....                                                                                            | 18      |
| UEI Test Equipment, Analyzers, and Detectors .....                                                          | 34      |
| Venture Evac & Hose Kit .....                                                                               | 32      |
| Vertical Tank Handcart .....                                                                                | 24      |
| Viega MegaPress Gas Fittings & Press Tool .....                                                             | 29      |
| WardFlex CCST Pipe & Fittings .....                                                                         | 34      |

## HORIZONTAL ASME TANKS

| PRODUCT DESCRIPTION    | TGG PART #  |
|------------------------|-------------|
| 120 above ground ASME  | LPT120AGPT  |
| 120 underground ASME   | LPT120UGLR  |
| 250 above ground ASME  | LPT250AGPT  |
| 250 underground ASME   | LPT250UGLR  |
| 320 above ground ASME  | LPT320AGPT  |
| 320 underground ASME   | LPT320UGLR  |
| 500 above ground ASME  | LPT500AGPT  |
| 500 underground ASME   | LPT500UGLR  |
| 1000 above ground ASME | LPT1000AGPT |
| 1000 underground ASME  | LPT1000UGLR |



## ASME TANKS & DOT CYLINDERS

| PRODUCT DESCRIPTION                                                     | TGG PART #       |
|-------------------------------------------------------------------------|------------------|
| 420 Lb Vertical ASME Propane Tank White                                 | LPT420LBVASME    |
| 420 Lb Vertical DOT Propane Tank White                                  | LPT420LBVDOT     |
| 200 Lb Vertical ASME Propane Tank White                                 | LPT200LBVASME    |
| 200 Lb Vert DOT Propane Cylinder Tank W/MV                              | LPT200LBVDOT     |
| 100 Lb Vertical ASME Propane Tank White-With 2 Hole Multi Valve & Gauge | LPT100LBVASME    |
| 100 Lb Vertical Propane DOT Tank White-With POL Valve                   | LPT100LBVDOT     |
| 100 lb. Vertical Propane DOT Tank Grey-With Multi-Valve                 | LPT100LBVDOTGREY |
| 33.5 Lb Aluminum Forklift Propane Tank White                            | LPT335LBVDOTA    |
| 33.5 Lb Steel Forklift Propane Tank White                               | LPT335LBVDOTS    |
| 43.5 lb. Aluminum Forklift Propane Tank                                 | LPT435LBVDOTA    |
| 43.5 lb. Steel Forklift Propane Tank                                    | LPT435LBVDOTS    |
| 20 lb. Steel Forklift Propane Tank                                      | LPT20LBVDOTS     |
| 20 lb. Aluminum Floor Buffer Propane Tank                               | LPT20LBVBDOTA    |
| 20 Lb DOT Propane Tank                                                  | LPT20LBVDOT      |
| 30 Lb DOT Propane Tank White                                            | LPT30LBVDOT      |
| 40 Lbl DOT Propane Tank White                                           | LPT40LBVDOT      |
| 60 lb.l DOT Propane Tank Grey                                           | LPT60LBVDOT      |



**MADE IN THE U.S.A.**




## TANK REPLACEMENT PARTS & GAUGES

| TANK          | TGG PRODUCT CODE | RISER HEIGHT & DIAMETER | MULTIVALVE OR SERVICE VALVE | LIQUID WITHDRAWAL (CHECK-LOK) | RELIEF VALVE | FILLER VALVE |
|---------------|------------------|-------------------------|-----------------------------|-------------------------------|--------------|--------------|
| LPT200LBVASME | STI131608        | 24" Diameter            | REG6555R116                 | N/A                           | REG8544G     | REG7647SC    |
| LPT420LBVASME | STI131619        | 30" Diameter            | REG9102D111                 | N/A                           | REG8544G     | REGL7579     |
| LPT200LBVDOT  | STI131608        | 24" Diameter            | REG8555R116                 | N/A                           | REG8544K     | REG7647SC    |
| LPT420LBVASME | STI131619        | 30" Diameter            | REG9102D111                 | N/A                           | REG8544K     | REGL7579     |
| LPT120AGPT    | STI131589        | 24" Tank Diameter       | REG7556R120                 | REG7590U                      | REG7583G     | REGL7579     |
| LPT250AGPT    | STI131592        | 30" Tank Diameter       | REG7556R120                 | REG7590U                      | REG7583G     | REGL7579     |
| LPT320AGPT    | STI131592        | 30" Tank Diameter       | REG7556R120                 | REG7590U                      | REG7583G     | REGL7579     |
| LPT500AGPT    | STI131595        | 37.5" Tank Diameter     | REG7556R120                 | REG7590U                      | REG8685G     | REGL7579     |
| LPT1000AGPT   | STI131661        | 41" Tank Diameter       | REG7556R120                 | REG7590U                      | REG8685G     | REGL7579     |
| LPT120UGLR    | STI131550        | 24" Tank / 28" Riser    | REGPG8475RL                 | REG7590U                      |              |              |
| LPT250UGLR    | STI131551        | 30" Tank / 28" Riser    | REGPG8475RL                 | REG7590U                      |              |              |
| LPT320UGLR    | STI131551        | 30" Tank / 28" Riser    | REGPG8475RL                 | REG7590U                      |              |              |
| LPT500UGLR    | STI131552        | 37.5" Tank / 28" Riser  | REGPG8475RL                 | REG7590U                      |              |              |
| LPT1000UGLR   | STI131553        | 41" Tank / 28" Riser    | REGPG8475RL                 | REG7590U                      |              |              |

## SHROUDS, LIDS, & DOMES

| PRODUCT DESCRIPTION                           | TGG PART #             |
|-----------------------------------------------|------------------------|
| White Plastic Lid F/100-420 Lb Propane Tan    | LPT100-420VLIDPLA      |
| Black Plastic Lid F/100-420 Lb LP Tanks       | LPT100-420VLIDPLABLACK |
|                                               |                        |
| Shroud F/120-250-320 Gal Hor Propane Tank U/G | LPT120-320UGLRD        |
| Shroud F/500-1000 Gal Hor Propane Tank U/G    | LPT500-1000UGLRD       |
| Tank Clevis Pin                               | LPTA59887              |
| Tank Cotter Pin                               | LPTA59888              |
| Black Tank Cover Hinge                        | LPTA79958              |
|                                               |                        |
| Dome F/ 120 Gal Hor Propane Tank A/G          | LPT120AGD              |
| Dome F/ 250-1000 Gal Hor Propane Tank A/G     | LPT250-1000AGD         |

\*\*\*OTHER COLORS AVAILABLE FOR BOTH PLASTIC & METAL LIDS\*\*\*



Click on or Scan this code with our  
Mobile app or your smartphone camera  
to view these products online.





| SERVICE VALVES, RELIEF VALVES, & LIQUID WITHDRAWAL VALVES                       |               |
|---------------------------------------------------------------------------------|---------------|
| RELIEF VALVES                                                                   |               |
| ASME                                                                            |               |
| PRODUCT DESCRIPTION                                                             | TGG PART #    |
| 3127G Rego 1/4" M.NPT ASME 250 PSI Relief Valve                                 | REG3127G      |
| 3129G Rego 1/2" M.NPT ASME 250 PSI Relief Valve                                 | REG3129G      |
| 7583G Rego 3/4" M.NPT Semi-Internal PRV For ASME Tank                           | REG7583G      |
| 8684G Rego 1" M.NPT Semi-Internal PRV For ASME Tank                             | REG8684G      |
| 8685G Rego 1-1/4" M.NPT Semi-Internal PRV For ASME Tank                         | REG8685G      |
| 8684-40 Rego Protective Relief Valve Cap                                        | REG868440     |
| 7544-41 Rego Plastic Relief Valve Plug                                          | REG754441     |
| DOT                                                                             |               |
| PRODUCT DESCRIPTION                                                             | TGG PART #    |
| 3127K Rego 1/4" M.NPT DOT 350 PSI Relief Valve                                  | REG3127K      |
| 3129K Rego 1/2" M.NPT DOT 350 PSI Relief Valve                                  | REG3129K      |
| 3139-18 Rego 1/4" M.NPT 18 Set PSIG Vapor Relief Valve                          | REG313918     |
| 3139-26 Rego 1/4" M.NPT 26 Set PSIG Vapor Relief Valve                          | REG313926     |
| 3139-38 Rego 1/4" M.NPT 38 Set PSIG Vapor Relief Valve                          | REG313938     |
| 8545AK Rego 3/4" M.NPT Internal PRV DOT ForkLift Cylinders                      | REG8545AK     |
| FIXED LIQUID LEVEL GAUGES                                                       |               |
| PRODUCT DESCRIPTION                                                             | TGG PART #    |
| 3165C Rego 1/4" M.NPT Fixed Level Gauge No Dip Tube                             | REG3165C      |
| 3165CF12.0 Rego 1/4" M.NPT 12" Dip Tube Fixed Liquid Level Gauge                | REG3165CF120  |
| 3165DF12.0 Rego 1/4" M.NPT 12" Dip Tube Fixed Liquid Level Gauge                | REG3165DF120  |
| MULTIVALVES & SERVICE VALVES                                                    |               |
| MULTIVALVE                                                                      |               |
| PRODUCT DESCRIPTION                                                             | TGG PART #    |
| G8475RL Rego 2-1/2" F.NPT 1-3/4" M.ACME Fill X 1-1/4" M.ACME ASME Multi-valve   | REGG8475RL    |
| PG8475RL Rego 2-1/2" F.NPT 1-3/4" M.ACME Fill X 1-1/4" M.ACME ASME Multivalve   | REGPG8475RL   |
| 7556R12.0 Rego 3/4" M.NGT 1-1/4" M.ACME F.POL ASME Multivalve                   | REG7556R120   |
| PT7556R12.0 Rego 3/4" M.NGT 1-1/4" M.ACME F.POL ASME Multivalve With Presto-Tap | REGPT7556R120 |
| SERVICE VALVE                                                                   |               |
| PRODUCT DESCRIPTION                                                             | TGG PART #    |
| 8556 Rego 3/4" M.NGT F.POL Dual Cylinder Valve                                  | REG8556       |
| 901C1 Rego 3/4" M.NGT F.POL Service Valve                                       | REG901C1      |
| 9101C1 Rego 3/4" M.NGT F.POL Service Valve                                      | REG9101C1     |
| 9101P5 Rego 3/4" M.NGT 3/8" M.NPT Service Valve For DOT Containers 1.5 GPM      | REG9101P5     |
| 9101P5H Rego 3/4" M.NGT 3/8" M.NPT Service Valve For DOT Containers 2.6 GPM     | REG9101P5H    |
| 9101P6 Rego 3/4" M.NGT 3/8" M.NPT Service Valve For DOT Containers 1.5 GPM      | REG9101P6     |
| 9101P6H Rego 3/4" M.NGT 3/8" M.NPT Service Valve For DOT Containers 2.6 GPM     | REG9101P6H    |
| 9101R1 Rego 3/4" M.NGT F.POL Service Valve With Multi Bonnet                    | REG9101R1     |
| 9102D11.1 Rego 3/4" M.NGT F.POL Service Valve                                   | REG9102D111   |
| 9102R11.7 Rego 3/4" M.NGT F.POL Service Valve                                   | REG9102R117   |
| 3174-93L Rego 1-3/4" ACME Cap With Lanyard                                      | REG317493L    |



## CHEK-LOK & UNLOADING ADAPTERS

Chek-Lok® Excess Flow Valves are designed to provide a convenient means of withdrawing liquid from stationary containers prior to moving the container. The Chek-Lok® permits one transfer shut-off valve with an adapter to be used interchangeably on a number of tanks.

| PRODUCT DESCRIPTION                                                        | TGG PART #  |
|----------------------------------------------------------------------------|-------------|
| 7590U Rego 3/4" M.NPT 1-5/8" UNF Chek-Lok Excess Flow Valve                | REG7590U    |
| 7591U Rego 1-1/4" M.NPT 1-5/8" UNF Chek-Lok Excess Flow Valve              | REG7591U    |
| 7572C-14A Rego Chek-Lok Adapter Old Style 3/4" M.NPT X F.NPT               | REG7572C14A |
| 7590U-20 Rego 1-5/8-12 UNF 3/4" F.NPT Chek-Lok Evacuation Adapter          | REG7590U20  |
| 7580F-20 Rego Chek-Lok Old Style Unloading Adapter 3/4" M X F              | REG7580F20  |
| 7590U-10 Rego 1-5/8" UNF 3/4" F.NPT Union Adapter For 7590U & 7591U Valves | REG7590U10  |

## UNLOADING ADAPTORS

Designed to provide an efficient means of evacuating an LP-Gas container for relocation or repair. They thread directly onto the 1 3/4" ACME male hose connection of RegO Filler Valves used on RegO Double Check Filler Valves and Multivalves®. The unloading adapters can be used to withdraw liquid provided the container is equipped with a dip pipe extending from the filler valve to the bottom of the container.

| PRODUCT DESCRIPTION                                               | TGG PART # |
|-------------------------------------------------------------------|------------|
| 3121 Rego 1-3/4" F.ACME X 3/4" F.NPT Angle Unload Adapter         | REG3121    |
| 3119A Rego 1-3/4" F.ACME X 1-3/4" M.ACME InLine Unloading Adapter | REG3119A   |
| 3120 Rego 1-3/4" F.ACME X 3/4" F.NPT Angle Unload Adapter         | REG3120    |
| 7573-20 Rego Vapor Unloading Adapter                              | REG757320  |

## LIQUID TRANSFER VALVES

Designed especially for liquid transfer of LP-Gas from consumer bulk storage containers when used with a Chek-Lok® or equipped with an integral excess flow valve. May also be used for vapor LP-Gas service.

| PRODUCT DESCRIPTION                                             | TGG PART # |
|-----------------------------------------------------------------|------------|
| 7550P Rego 3/4" M.NPT X 3/4" F.NPT Liquid Transfer Angle Valve  | REG7550P   |
| 7550PX Rego 3/4" M.NPT X 3/4" F.NPT Liquid Transfer Angle Valve | REG7550PX  |
| 7551P Rego 3/4" M.NPT X 1/2" F.NPT Liquid Transfer Angle Valve  | REG7551P   |

## FILLER VALVES


Designed to provide fast filling of large motor fuel and ASME domestic tanks. The 6579 Series incorporates a swing-away lower check which greatly reduces pressure drop across the valve. This lower pressure drop promotes faster filling rates and greater efficiency resulting in more profitable operations.

| PRODUCT DESCRIPTION                                                                                    | TGG PART # |
|--------------------------------------------------------------------------------------------------------|------------|
| L7579 Rego 1-3/4" X 1-1/4" Double Check Filler Valve                                                   | REGL7579   |
| L6579 Rego 1-3/4" X 1-1/4" Double-Check Fill Valve Swing Check                                         | REGL6579   |
| 7573D Rego 1-1/4" ACME X 3/4" M.NPT Vapor Equalizing Valve                                             | REG7573D   |
| 7674 Series- Designed to provide fast filling of forklift, motor fuel, and recreational vehicle tanks. |            |
| 7647DC Rego 1-3/4" ACME-F.POL X 3/4" M.NPT Double Check Filler Valve                                   | REG7647DC  |
|                                                                                                        | REG7647SC  |

## FORKLIFT CONNECTORS

These brass connectors are especially designed to join the carburetor fuel line to the service valve on lift truck cylinders. Sturdy, long lasting ACME threads allow quick, hand-tight assembly that provides for quick and simple cylinder replacement. Back checks automatically close in each connector when disconnected.

| PRODUCT DESCRIPTION                                      | TGG PART # |
|----------------------------------------------------------|------------|
| 7141F Rego 1-1/4" F.ACME X 1/4" F.NPT Forklift Connector | REG7141F   |
| 7141M Rego 3/8" F.NPT X 1-1/4" M.ACME Forklift Connector | REG7141M   |




Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.



## TANK ANCHORING BY MINUTE MAN ANCHORS

| PRODUCT DESCRIPTION                              | TGG PART # |
|--------------------------------------------------|------------|
| Anchor Adapter                                   | MMA2741    |
| MMA Drive Machine                                | MMA2730    |
| 150' Strap Sheathing                             | MMA2382    |
| 100' Galvanized Strapping G115                   | MMA2375    |
| Split Bolt / Nut                                 | MMA2010    |
| LP Tank Anchor for dense soil                    | MMA1346    |
| LP Tank Anchor for loose soil                    | MMA1284    |
| Wet Concrete Anchor Per;Each                     | MMA1450    |
| Concrete Anchor Dry Set;W/ Expanding Sleeve Bolt | MMA2391    |



## TANK & CYLINDER PADS

| PRODUCT DESCRIPTION                        | TGG PART #   |
|--------------------------------------------|--------------|
| Poly Pad 500-1000 Gal LP Horizontal Tanks  | DB71130      |
| Poly Pad up to 500 Gal LP Horizontal Tanks | DB51026      |
| Poly Pad F/ 57 & 119 LP Vertical Cylinders | DIV420BASEGR |



## ANODES & TESTING

| PRODUCT DESCRIPTION                                              | TGG PART # |
|------------------------------------------------------------------|------------|
| A17H1 17# Anode Pkg w/10' Ins Lead                               | ASC10111   |
| Anode Test Kit<br>** Copper Sulfate Refill 2oz Bottles Available | ASC30101   |
| Anode Clamp Only                                                 | ASC30502   |
| Anode Retrofit Kit                                               | ASC30501   |






## TANK & POL LOCKS

| PRODUCT DESCRIPTION                                | TGG PART #          |
|----------------------------------------------------|---------------------|
| LAI B531G-B827P-AO POL outlet Lock w/o key         | LAIB531GB827PAO     |
| POL Tank Locks Soft Nose W/12 Locks & 1 Key        | ME530               |
| LAI S533G-LLVC-AO filler valve lock without keys   | LAIS533GLLVCAO      |
| LAI S533G-HLLVC-AO H/D Steel Filler lock w/o Keys  | LAIS533GHLLVCAO     |
| LAI S533G-AT-LLVC-AO U/G filler cap lock w/o key   | LAIS533GATLLVCAO    |
| LAI S502K-D-COLOR - Black Key to fit locks generic | LAIS502KDCOLORBLACK |



| FLARE FITTINGS                         |               |
|----------------------------------------|---------------|
| PRODUCT DESCRIPTION                    | TGG PART #    |
| 1/2" Brass Forged Flare Nut            | 12BRFOFLRN    |
| 3/8" Brass Forged Flare Nut            | 38BRFOFLRN    |
| 3/8 Brass Flare Nut                    | 38BRFLRN      |
| 5/8" Brass Forged Flare Nut            | 58BRFOFLRN    |
| 5/8" Brass Flare Nut                   | 58BRFLN       |
| 1/4" Brass Forged Flare Nut            | 14BRFOFLRN    |
| 1/2" X 3/8" Forged Flare Nut           | 12.38BRFOFLRN |
| 5/8" X 1/2" Brass Forged Flare Nut     | 58.12BRFOFLRN |
| 3/8" X 1/4" Brass Forged Flare Nut     | 38.14BRFOFLRN |
| 1/2" Brass Flare Nut                   | 12BRLRN       |
| 1/2" Brass Flare X MPT Adapter         | 12BRFLRMA     |
| 3/8" Brass Flare X MPT Adapter         | 38BRFLRMA     |
| 3/8" X 1/2" Brass Flare X MPT Adapter  | 38.12BRFLRMA  |
| 1/2" X 3/4" Brass Flare X MPT Adapter  | 12.34BRFLRMA  |
| 5/8" X 1/2" Brass Flare X MPT Adapter  | 58.12BRFLRMA  |
| 3/8" X 3/4" Brass Flare X MPT Adapter  | 38.34BRFLRMA  |
| 3/8" X 1/4" Brass Flare X MPT Adapter  | 38.14BRFLRMA  |
| 5/8" X 3/4" Brass Flare X MPT Adapter  | 58.34BRFLRMA  |
| 1/4" X 3/8" Brass Flare X MPT Adapter  | 14.38BRFLRMA  |
| 1/2" X 3/8" Brass Flare X MPT Adapter  | 12.38BRFLRMA  |
| 1/4" Brass Flare X MPT Adapter         | 14BRFLRMA     |
| 3/4" Brass Flare X MPT Adapter         | 34BRFLRMA     |
| 5/8" X 3/8" Brass Flare X MPT Adapter  | 58.38BRFLRMA  |
| 1/2" Brass Flare X FPT Adapter         | 12BRFLRFA     |
| 1/2" X 3/4" Brass Flare X FPT Adapter  | 12.34BRFLRFA  |
| 3/8" Brass Flare X FPT Adapter         | 38BRFLRFA     |
| 5/8" X 3/4" Brass Flare X FPT Adapter  | 58.34BRFLRFA  |
| 5/8" X 1/2" Brass Flare X FPT Adapter  | 58.12BRFLRFA  |
| 3/8" X 1/2" Brass Flare X FPT Adapter  | 38.12BRFLRFA  |
| 1/2" X 3/8" Brass Flare X FPT Adapter  | 12.38BRFLRFA  |
| 3/8" X 1/4" Brass Flare X FPT Adapter  | 38.14BRFLRFA  |
| 3/8" Brass Flare Union                 | 38BRFLRU      |
| 1/2" Brass Flare Union                 | 12BRFLRU      |
| 1/2" X 3/8" Brass Flare Union          | 12.38BRFLRU   |
| 1/4" Brass Flare Union                 | 14BRFLRU      |
| 5/8" Brass Flare Union                 | 58BRFLRU      |
| 5/8" X 1/2" Brass Flare Union          | 58.12BRFLRU   |
| 3/8" X 1/4" Brass Flare Union          | 38.14BRFLRU   |
| 5/8" X 3/8" Brass Flare Union          | 58.38BRFLRU   |
| 3/8" X 1/4" Brass Flare Union          | 38.14BRFLRU   |
| 3/8" Brass Flare X MPT 90 Elbow        | 38BRFLRM90    |
| 1/2" Brass Flare X MPT 90 Elbow        | 12BRFLRM90    |
| 3/8" X 1/4" Brass Flare X MPT 90 Elbow | 38.14BRFLRM90 |
| 1/2" X 3/4" Brass Flare X MPT 90 Elbow | 12.34BRFLRM90 |
| 3/8" X 1/2" Brass Flare X MPT 90 Elbow | 38.12BRFLRM90 |










Click on or Scan this code with our  
Mobile app or your smartphone camera  
to view these products online.





| FLARE FITTINGS                                   |                 |
|--------------------------------------------------|-----------------|
| PRODUCT DESCRIPTION                              | TGG PART #      |
| 5/8" X 3/4" Brass Flare X MPT 90 Elbow           | 58.34BRFLRM90   |
| 5/8" X 1/2" Brass Flare X MPT 90 Elbow           | 58.12BRFLRM90   |
| 1/2" X 3/8" Brass Flare X MPT 90 Elbow           | 12.38BRFLRM90   |
| 3/16" X 1/8" Brass Flare X MPT 90 Elbow          | 316.18BRFLRM90  |
| 3/8" X 3/4" Brass Flare X MPT 90 Elbow           | 38.34BRFLRM90   |
| 3/4" Brass Flare X MPT 90 Elbow                  | 34BRFLRM90      |
| 1/4" X 1/8" Brass Flare X MPT 90 Elbow           | 14.18BRFLRM90   |
| 1/4" Brass Flare X MPT 90 Elbow                  | 14BRFLRM90      |
| 3/8" X 1/8" Brass Flare X MPT 90 Elbow           | 38.18BRFLRM90   |
| 1/2" Brass Flare 90 Elbow                        | 12BRFLR90       |
| 3/8" Brass Flare 90 Elbow                        | 38BRFLR90       |
| 5/8" Brass Flare 90 Elbow                        | 58BRFLR90       |
| 1/2" X 3/8" Brass Flare 90 Elbow                 | 12.38BRFLR90    |
| 5/8" X 1/2" Brass Flare 90 Elbow                 | 58.12BRFLR90    |
| 5/8" X 3/8" Brass Flare 90 Elbow                 | 58.38BRFLR90    |
| 1/2" Brass Flare X FPT 90 Elbow                  | 12BRFLRF90      |
| 1/2" X 3/4" Brass Flare X FPT 90 Elbow           | 12.34BRFLRF90   |
| 5/8" X 1/2" Brass Flare X FPT 90 Elbow           | 58.12BRFLRF90   |
| 5/8" X 3/4" Brass Flare X FPT 90 Elbow           | 58.34BRFLRF90   |
| 3/8" X 1/2" Brass Flare X FPT 90 Elbow           | 38.12BRFLRF90   |
| 3/8" X 3/4" Brass Flare X FPT 90 Elbow           | 38.34BRFLRF90   |
| 3/8" Brass Flare X FPT 90 Elbow                  | 38BRFLRF90      |
| 1/2" X 3/8" Brass Flare X FPT 90 Elbow           | 12.38BRFLRF90   |
| 1/2" Brass Flare Swivel Coupling                 | 12BRFLRSWCUP    |
| 3/8" Brass Flare Swivel Coupling                 | 38BRFLRSWCUP    |
| 5/8" Brass Flare Swivel Coupling                 | 58BRFLRSWCUP    |
| 5/8" X 1/2" Brass Flare Swivel Coupling          | 58.12BRFLRSWCUP |
| 1/2" X 3/8" Brass Flare Swivel Coupling          | 12.38BRFLRSWCUP |
| 1/4" Brass Flare Swivel Coupling                 | 14BRFLRSWCUP    |
| 3/8" Brass Flare Plug                            | 38BRFLRP        |
| 1/2" Brass Flare Plug                            | 12BRFLRP        |
| 5/8" Brass Flare Plug                            | 58BRFLRP        |
| 1/4" Brass Flare Plug                            | 14BRFLRP        |
| 1/2" Brass Flare Cap                             | 12BRFLRCAP      |
| 3/8" Brass Flare Cap                             | 38BRFLRCAP      |
| 5/8" Brass Flare Cap                             | 58BRFLRCAP      |
| 1/4" Brass Flare Cap                             | 14BRFLRCAP      |
| Product Description                              | TGG Part #      |
| 1/2" Brass Flare Tee                             | 12BRFLRT        |
| 3/8" Brass Flare Tee                             | 38BRFLRT        |
| 5/8" Brass Flare Tee                             | 58BRFLRT        |
| 5/8" X 1/2" Brass Flare Tee                      | 58.12BRFLRT     |
| 1/2" X 1/2" X 3/8" Brass Flare Tee               | 12.38BRFLRT     |
| 2011-D F.POL X 1/2" MPT Coupling                 | FAI2011D        |
| 1/2" Brass Flare X Flare X MPT Tee               | 12BRFLRMT       |
| 5/8" X 5/8" X 1/2" Brass Flare X Flare X MPT Tee | 58.12BRFLRMT    |





## YELLOW COATED COPPER & COILED COPPER TUBE

| PRODUCT DESCRIPTION                          | TGG PART #  |
|----------------------------------------------|-------------|
| Mueller 3/8" X 50' Yellow Coated Gas         | 38.50-YCGL  |
| Mueller 3/8" X 100' Yellow Coated Gas        | 38.100-YCGL |
| Mueller 1/2" X 50' Yellow Coated Gas         | 12.50-YCGL  |
| Mueller 1/2" X 100' Yellow Coated Gas        | 12.100-YCGL |
| Mueller 1/2" X 250' Yellow Coated Gas Line   | 12.250-YCGL |
| Mueller 5/8" X 50' Yellow Coated Gas         | 58.50-YCGL  |
| Mueller 5/8" X 100' Yellow Coated Gas        | 58.100-YCGL |
| 3/8" X 50' Ref. Copper;Tube P/Coil           | 38.50-RCT   |
| 3/8" X 100' Ref. Copper;Tube P/Coil          | 38.100-RCT  |
| 1/2" X 50' Ref. Copper;Tube P/Coil           | 12.50-RCT   |
| 1/2" X 100' Ref. Copper;Tube P/Coil          | 12.100-RCT  |
| 5/8" X 50' Ref. Copper;Tube P/Coil           | 58.50-RCT   |
| 5/8" X 100' Ref. Copper;Tube P/Coil          | 58.100-RCT  |
| Kamco Copper Stopper Termination Flange      | KAM71900    |
| TS17R-8 1/2" OD 1/4" Hole Rubber Tube Strap  | FAITS17R8   |
| TS17R-10 5/8" OD 1/4" Hole Rubber Tube Strap | FAITS17R10  |
| TS18-6 3/8" OD or 1/2" OD Copper J Clip      | FAITS186    |
| TS18-10 5/8" Copper J Clip                   | FAITS1810   |



## GAS BALL VALVES

| PRODUCT DESCRIPTION                           | TGG PART #  |
|-----------------------------------------------|-------------|
| 1/2" FIPXFIP Gas Ball;With 1/8" Side Tap      | JOM102303   |
| 3/4" FIPXFIP Gas Ball;With 1/8" Side Tap      | JOM102304   |
| 101-403 1/2" FMXFM Gas;Ball Valve             | JOM101403   |
| 101-404 3/4" FMXFM Gas;Ball Valve             | JOM101404   |
| 3/4" Utility Gas Ball;Valve W/ Ins Tail Piece | JOM241004D  |
| 1" Utility Gas Ball;Valve W/ Ins Tail Piece   | JOM241005D  |
| 3/8" X 1/2" FLXFIP;T-Handle Gas Ball Valve    | JOM101502   |
| 1/2" X 3/8" MIPXFL;T-Handle Gas Ball Valve    | JOM101702   |
| 1/2" FLXFIP T-Handle Gas;Ball Valve           | JOM101503   |
| 1/2" X 3/8" FLXFL;T-Handle Gas Ball Valve     | JOM101601   |
| 3/8" FLXFL Gas Ball;Valve                     | JOM101602   |
| 101-402 3/8" FMXFM Gas;Ball Valve             | JOM101402   |
| 1/2" FLXFL Gas Ball;Valve                     | JOM101603   |
| 1/2" MIPXFL T-Handle Gas;Ball Valve           | JOM101703   |
| 5/8" FLXFL T-Handle Gas;Ball Valve            | JOM101604   |
| 3/8" FLXFL Gas Ball With;1/8" Side Tap        | JOM102402   |
| 1/2" FLXFL Gas Ball With;1/8" Side Tap        | JOM102403   |
| 1/2" FLXFIP Gas Ball;With 1/8" Side Tap       | JOM102405   |
| 5/8" FLXFL Gas Ball With;1/8" Side Tap        | JOM102404   |
| 100-299 1/4" MXF Mini;Ball Valve              | JOM100299   |
| 100-297 1/8" MXF Mini;Ball Valve              | JOM100297   |
| 1/2" FIPXFIP Dielectric;Gas Ball Valve        | JOM101403DU |
| 1/2" FIPXFL Dielectric;Gas Ball Valve         | JOM101513DU |
| 3/4" FIPXFIP Dielectric;Gas Ball Valve        | JOM101404DU |



Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.



| GAS BALL VALVES                                 |            |
|-------------------------------------------------|------------|
| PRODUCT DESCRIPTION                             | TGG PART # |
| 3/4" Brss MIP X 5/8" Flr LP Diel. Union 250 Psi | JOM704104  |
| 3/4" Brss MIP X 1/2" Flr LP Diel. Union 250 Psi | JOM704103  |
| 1/2" Brss MIP X 5/8" Flr LP Diel. Union 250 Psi | JOM703104  |
| 1/2" Brss MIP X Flr LP Dielectric Union 250 Psi | JOM703103  |
| 1/2" Lever Handle Gas;Ball Valve                | 4PRO12GBV  |
| 3/4" Lever Handle Gas;Ball Valve                | 4PRO34GBV  |
| 1/2" Blue Gas Ball Valve;                       | LEG102613  |
| 3/4" Blue Gas Ball Valve;                       | LEG102614  |
| 1" IPS T-Handle Gas Ball;Valve                  | LEG102615  |
| 1-1/4" IPS T-Handle Gas;Ball Valve              | LEG102616  |
| 1-1/2" IPS T-Handle Gas;Ball Valve              | LEG102617  |
| 1/2" IPS Lever Hndl Gas;Ball Valve W/Side Tap   | LEG102513  |
| 3/4" IPS Lever Hndl Gas;Ball Valve W/Side Tap   | LEG102514  |
| 3/8" FLR Lever Hndl Gas;Ball Valve W/Side Tap   | LEG102522  |
| 1/2" FLR Lever Hndl Gas;Ball Valve W/Side Tap   | LEG102523  |
| 3/8" FLR X FLR Gas Ball;Valve                   | LEG102312  |
| 1/2" FLR X FLR Gas Ball;Valve                   | LEG102313  |
| 1/2" IPS "UL" T-HDL                             | APO8010307 |
| 3/4" IPS "UL" T-HDL                             | APO8010407 |
| 1" IPS "UL" T-HANDLE                            | APO8010507 |
| 1-1/4" IPS "UL" T-HDL                           | APO8010607 |
| 1-1/2" IPS "UL" T-HDL                           | APO8010707 |
| 2" IPS "UL" T-HANDLE                            | APO8010807 |



| REGO                                                                                                                                                                                                                                                                       |             |                  |                   |              |                           |                      |                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|-------------------|--------------|---------------------------|----------------------|--------------------------------|
| COMPACT FIRST STAGE REGULATORS                                                                                                                                                                                                                                             |             |                  |                   |              |                           |                      |                                |
| Ideal for use as a first stage regulator on any domestic size ASME or DOT container in propane gas installations requiring up to 1,500,000 BTU's per hour. The regulator is factory set to reduce container pressure to an intermediate pressure of approximately 10 PSIG. |             |                  |                   |              |                           |                      |                                |
| TGG PART NUMBER                                                                                                                                                                                                                                                            | PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE | BONNET VENT POSITION | VAPOR CAPACITY BTU/HR PROPANE* |
| REGLV3403TR                                                                                                                                                                                                                                                                | LV3403TR    | 1/4" F.NPT       | 1/2" F.NPT        | 7/32"        | 10 PSIG                   | Over Outlet          | 1,500,000 BTU/hr               |
| REGLV3403TRV9                                                                                                                                                                                                                                                              | LV3403TRV9  | 1/4" F.NPT       | 1/2" F.NPT        | 7/32"        | 10 PSIG                   | 9:00 O'clock         | 1,500,000 BTU/hr               |
| REGLV3403TR9                                                                                                                                                                                                                                                               | LV3403TR9   | F.POL            | 1/2" F.NPT        | 7/32"        | 10PSIG                    | Over Outlet          | 1,500,000 BTU/hr               |
| REGLV3403TR9V9                                                                                                                                                                                                                                                             | LV3403TR9V9 | F.POL            | 1/2" F.NPT        | 7/32"        | 10PSIG                    | 9:00 O'clock         | 1,500,000 BTU/hr               |

| FIRST STAGE REGULATORS                                                                                                                     |             |                  |                   |              |                           |                          |                          |                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|-------------------|--------------|---------------------------|--------------------------|--------------------------|---------------------------------|
| Provides accurate first stage regulation in two-stage bulk tank systems. Reduce tank pressure to an intermediate pressure of 5 to 10 PSIG. |             |                  |                   |              |                           |                          |                          |                                 |
| TGG PART NUMBER                                                                                                                            | PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE | ADJUSTMENT RANGE* (PSIG) | INTEGRAL RELIEF INCLUDED | VAPOR CAPACITY BTU/HR PROPANE** |
| REGLV4403SR4                                                                                                                               | LV4403SR4   | 1/2" F. NPT"     | 1/2" F. NPT"      | 1/4"         | 5                         | 1-5                      | Yes                      | 2,500,000 BTU/hr                |
| REGLV4403TR4                                                                                                                               | LV4403TR4   | 1/2" F. NPT"     | 1/2" F. NPT"      | 1/4"         | 10                        | 5-10                     | Yes                      | 2,500,000 BTU/hr                |
| REGLV4403SR9                                                                                                                               | LV4403SR9   | F. POL           | 1/2" F. NPT"      | 1/4"         | 5                         | 1-5                      | Yes                      | 2,500,000 BTU/hr                |
| REGLV4403TR9                                                                                                                               | LV4403TR9   | F. POL           | 1/2" F. NPT"      | 1/4"         | 10                        | 5-10                     | Yes                      | 2,500,000 BTU/hr                |
| REGLV4403SR96                                                                                                                              | LV4403SR96  | F. POL           | 3/4" F.NPT        | 1/4"         | 5                         | 1-5                      | Yes                      | 2,500,000 BTU/hr                |
| REGLV4403TR96                                                                                                                              | LV4403TR96  | F. POL           | 3/4" F.NPT        | 1/4"         | 10                        | 5-10                     | Yes                      | 2,500,000 BTU/hr                |

## REGO

### LOW PRESSURE SECOND STAGE REGULATORS

Designed to reduce first stage pressure of 5-20 PSIG down to burner pressure, normally 11" w.c. Ideal for medium commercial installations, multiple cylinder installations and normal domestic loads

| TGG PART NUMBER | REGO PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE | ADJUSTMENT RANGE | BONNET VENT POSITION | VAPOR CAPACITY BTU/HR. PROPANE** |
|-----------------|------------------|------------------|-------------------|--------------|---------------------------|------------------|----------------------|----------------------------------|
| REGLV4403B4     | LV4403B4         | 1/2" F. NPT      | 1/2" F. NPT       | #28 Drill    | 11" w.c. at 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 935,000 BTU/hr                   |
| REGLV4403B46    | LV4403B46        | 1/2" F. NPT      | 3/4" F. NPT       | #28 Drill    | 11" w.c. at 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 935,000 BTU/hr                   |
| REGLV4403B46R   | LV4403B46R       | 1/2" F. NPT      | 3/4" F. NPT       | #28 Drill    | 11" w.c. at 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 935,000 BTU/hr                   |
| REGLV4403B66    | LV4403B66        | 3/4" F. NPT      | 3/4" F. NPT       | #28 Drill    | 11" w.c. at 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 935,000 BTU/hr                   |
| REGLV4403B66R*  | LV4403B66R       | 3/4" F. NPT      | 3/4" F. NPT       | #28 Drill    | 11" w.c. at 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 935,000 BTU/hr                   |

\*Back Mount Design

### DIELECTRIC SECOND STAGE REGULATORS

Rego Dielectric second stage regulators are engineered to isolate potential electrical current from metallic piping before entering a building with the use of a separate dielectric union as part of the inlet assembly.

| TGG PART NUMBER  | REGO PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE | ADJUSTMENT RANGE | BONNET VENT POSITION | VAPOR CAPACITY BTU/HR. PROPANE** |
|------------------|------------------|------------------|-------------------|--------------|---------------------------|------------------|----------------------|----------------------------------|
| REGLV4403B3D     | LV4403B3D        | 3/8" M Flare     | 1/2" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B36D    | LV4403B36D       | 3/8" M Flare     | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B3RD    | LV4403B3RD       | 3/8" M Flare     | 1/2" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B36RAD  | LV4403B36RAD     | 3/8" M Flare     | 3/4" F. NPT       | 3/16"        | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 1,000,000                        |
| REGLV4403B36RABD | LV4403B36RABD    | 3/8" M Flare     | 3/4" F. NPT       | 3/16"        | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 1,000,000                        |
| REGLV4403B1D     | LV4403B1D        | 1/2" M Flare     | 1/2" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B16D    | LV4403B16D       | 1/2" M Flare     | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B16RD   | LV4403B16RD      | 1/2" M Flare     | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B16RAD  | LV4403B16RAD     | 1/2" M Flare     | 3/4" F. NPT       | 3/16"        | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B16RABD | LV4403B16RABD    | 1/2" M Flare     | 3/4" F. NPT       | 3/16"        | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 1,000,000                        |
| REGLV4403B5D     | LV4403B5D        | 3/8" M Flare     | 1/2" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B56D    | LV4403B56D       | 3/8" M Flare     | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B56RD   | LV4403B56RD      | 3/8" M Flare     | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B56RAD  | LV4403B56RAD     | 3/8" M Flare     | 3/4" F. NPT       | 3/16"        | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B56RABD | LV4403B56RABD    | 3/8" M Flare     | 3/4" F. NPT       | 3/16"        | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 1,000,000                        |
| REGLV4403B4D     | LV4403B4D        | 1/2" FNPT        | 1/2" FNPT         | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B46D    | LV4403B46D       | 1/2" FNPT        | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B66D    | LV4403B66D       | 3/4" F. NPT      | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B46RD   | LV4403B46RD      | 1/2" F. NPT      | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B66RD   | LV4403B66RD      | 3/4" F. NPT      | 3/4" F. NPT       | # 28 Drill   | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 935,000                          |
| REGLV4403B66RAD  | LV4403B66RAD     | 3/4" F. NPT      | 3/4" F. NPT       | 3/16"        | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 1,000,000                        |
| REGLV4403B66RABD | LV4403B66RABD    | 3/4" F. NPT      | 3/4" F. NPT       | 3/16"        | 11" w.c. at PSIG Inlet    | 9" to 13" w.c.   | Over Inlet           | 1,000,000                        |

\*Back Mount Design

\*\* Right Angle \*\*\* Right Angle w/ Bracket



Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.



| REGO                                                                                                                                                                                                                       |                  |                  |                   |              |                           |                  |                      |                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|-------------------|--------------|---------------------------|------------------|----------------------|----------------------------------|
| COMPACT SECOND STAGE BACK-MOUNT REGULATORS                                                                                                                                                                                 |                  |                  |                   |              |                           |                  |                      |                                  |
| Compact back mount regulators are designed to reduce first stage pressure of 5-10 PSIG down to burner pressure. Designed as a second stage regulator for smaller applications with flow requirements up to 450,000 BTU/hr. |                  |                  |                   |              |                           |                  |                      |                                  |
| TGG PART NUMBER                                                                                                                                                                                                            | REGO PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE | ADJUSTMENT RANGE | BONNET VENT POSITION | VAPOR CAPACITY BTU/HR. PROPANE** |
| REGLV3403B44R                                                                                                                                                                                                              | LV3403B44R       | 1/2" F.NPT       | 1/2" F.NPT        | 7/32"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 450,000 BTU/hr                   |
| REGLV3403B46R                                                                                                                                                                                                              | LV3403B46R       | 1/2" F.NPT       | 3/4" F.NPT        | 7/32"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 450,000 BTU/hr                   |
| REGLV3403B66R                                                                                                                                                                                                              | LV3403B66R       | 3/4" F.NPT       | 3/4" F.NPT        | 7/32"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 450,000 BTU/hr                   |



| COMPACT SECOND STAGE REGULATORS                                                                                                                                                                                        |                  |                  |                   |              |                           |                  |                      |                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|-------------------|--------------|---------------------------|------------------|----------------------|----------------------------------|
| The LV3403B4 is designed to reduce first stage pressure of 5-20 PSIG down to burner pressure. Built with 1/8" pressure taps on both regulator inlet & outlets these regulators also come with a integral relief valve. |                  |                  |                   |              |                           |                  |                      |                                  |
| TGG PART NUMBER                                                                                                                                                                                                        | REGO PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE | ADJUSTMENT RANGE | BONNET VENT POSITION | VAPOR CAPACITY BTU/HR. PROPANE** |
| REGLV3403B4                                                                                                                                                                                                            | LV3403B4         | 1/2" F.NPT       | 1/2" F.NPT        | 7/32"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Inlet                | 450,000 BTU/hr                   |
| REGLV3403B4V3                                                                                                                                                                                                          | LV3403B4V3       | 1/2" F.NPT       | 1/2" F.NPT        | 7/32"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | 3:00                 | 450,000 BTU/hr                   |
| REGLV3403B4V0                                                                                                                                                                                                          | LV3403B4V0       | 1/2" F.NPT       | 1/2" F.NPT        | 7/32"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Outlet               | 450,000 BTU/hr                   |
| REGLV3403B4V9                                                                                                                                                                                                          | LV3403B4V9       | 1/2" F.NPT       | 1/2" F.NPT        | 7/32"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | 9:00                 | 450,000 BTU/hr                   |

| LOW PRESSURE SECOND STAGE REGULATORS-RIGHT ANGLE DESIGN                                                                                                                                                                                                          |                  |                  |                   |              |                           |                  |                      |                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|-------------------|--------------|---------------------------|------------------|----------------------|----------------------------------|
| Designed to reduce first stage pressure of 5-20PSIG down to burner pressure. Ideal for medium commercial applications, vapor meter installations, and normal domestic loads. 90 degree right angle inlet to outer connection for meter or standard applications. |                  |                  |                   |              |                           |                  |                      |                                  |
| TGG PART NUMBER                                                                                                                                                                                                                                                  | REGO PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE | ADJUSTMENT RANGE | BONNET VENT POSITION | VAPOR CAPACITY BTU/HR. PROPANE** |
| REGLV4403B66RA                                                                                                                                                                                                                                                   | LV4403B66RA      | 3/4" F.NPT       | 3/4" F.NPT        | 3/16"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 1,000,000 BTU/hr                 |
| REGLV4403B66RAB                                                                                                                                                                                                                                                  | LV4403B66RAB     | 3/4" F.NPT       | 3/4" F.NPT        | 3/16"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 1,000,000 BTU/hr                 |



| LOW PRESSURE SECOND STAGE REGULATORS-STANDARD SETTINGS                                                                                                                                          |                  |                  |                   |              |                           |                  |                      |                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|-------------------|--------------|---------------------------|------------------|----------------------|----------------------------------|
| Designed to reduce first stage pressure of 5-20PSIG down to burner pressure. Ideal for larger commercial and industrial applications, multiple cylinder applications, and large domestic loads. |                  |                  |                   |              |                           |                  |                      |                                  |
| TGG PART NUMBER                                                                                                                                                                                 | REGO PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE | ADJUSTMENT RANGE | BONNET VENT POSITION | VAPOR CAPACITY BTU/HR. PROPANE** |
| REGLV5503B4                                                                                                                                                                                     | LV5503B4         | 1/2" F.NPT       | 3/4" F.NPT        | 1/4"         | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 1,600,000 BTU/hr                 |
| REGLV5503B6                                                                                                                                                                                     | LV5503B6         | 3/4" F.NPT       | 3/4" F.NPT        | 1/4"         | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 1,600,000 BTU/hr                 |
| REGLV5503B8                                                                                                                                                                                     | LV5503B8         | 3/4" F.NPT       | 1" F. NPT         | 9/32"        | 11" w.c. At 10 PSIG Inlet | 9" to 13" w.c.   | Over Inlet           | 2,300,000 BTU/hr                 |

#### THE GRANITE GROUP: FALL 2021 ENERGY PRODUCTS CATALOG - PROPANE

| REGO                                                                                                                                                           |                  |                  |                   |              |                        |                      |                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|-------------------|--------------|------------------------|----------------------|----------------------------------|
| SECOND STAGE REGULATORS FOR 2 PSI SYSTEMS                                                                                                                      |                  |                  |                   |              |                        |                      |                                  |
| Designed to reduce first stage pressure of 10 PSIG down to 2 PSIG. A line pressure regulator is required downstream to reduce the 2 PSIG to a nominal 11" w.c. |                  |                  |                   |              |                        |                      |                                  |
| TGG PART NUMBER                                                                                                                                                | REGO PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | ADJUSTMENT RANGE       | BONNET VENT POSITION | VAPOR CAPACITY BTU/HR. PROPANE** |
| REGLV4403Y4                                                                                                                                                    | LV4403Y4         | 1/2" F.NPT       | 1/2" F.NPT        | 1/4"         | 2 PSIG @ 10 PSIG Inlet | Over Inlet           | 1,000,000 BTU/hr                 |
| REGLV4403Y46R                                                                                                                                                  | LV4403Y46R       | 1/2" F.NPT       | 3/4" F.NPT        | 1/4"         | 2 PSIG @ 10 PSIG Inlet | Over Inlet           | 1,000,000 BTU/hr                 |
| REGLV5503Y6                                                                                                                                                    | LV5503Y6         | 3/4" F.NPT       | 3/4" F.NPT        | 1/4"         | 2 PSIG @ 10 PSIG Inlet | Over Inlet           | 2,200,000 BTU/hr                 |
| REGLV5503Y8                                                                                                                                                    | LV5503Y8         | 3/4" F.NPT       | 1" F. NPT         | 9/32"        | 2 PSIG @ 10 PSIG Inlet | Over Inlet           | 2,200,000 BTU/hr                 |

| TWIN STAGE REGULATORS                                                                                                                                                         |                  |                  |                   |              |                            |                            |                                |                                |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|-------------------|--------------|----------------------------|----------------------------|--------------------------------|--------------------------------|------------------|
| This compact two stage regulator is designed to reduce container pressure down to 11" w.c. Ideal for average domestic service including small ASME & 100-420lb DOT Cylinders. |                  |                  |                   |              |                            |                            |                                |                                |                  |
| TGG PART NUMBER                                                                                                                                                               | REGO PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE  | ADJUSTMENT RANGE 2ND STAGE | BONNET VENT POSITION 1ST STAGE | BONNET VENT POSITION 2ND STAGE | BTU/HR. CAPACITY |
| REGLV404B4                                                                                                                                                                    | LV404B4          | 1/4" F. NPT      | 1/2" F.NPT        | 3/16"        | 11" w.c. At 100 PSIG Inlet | 9" - 13" w.c.              | Down                           | Over Outlet                    | 525,000          |
| REGLV404B4V9                                                                                                                                                                  | LV404B4V9        | 1/4" F. NPT      | 1/2" F.NPT        | 3/16"        | 11" w.c. At 100 PSIG Inlet | 9" - 13" w.c.              | 9 o'clock                      | 9 o'clock                      | 525,000          |
| REGLV404B46                                                                                                                                                                   | LV404B46         | 1/4" F. NPT      | 3/4" F.NPT        | 3/16"        | 11" w.c. At 100 PSIG Inlet | 9" - 13" w.c.              | Down                           | Over Outlet                    | 525,000          |
| REGLV404B46V9                                                                                                                                                                 | LV404B46V9       | 1/4" F. NPT      | 3/4" F.NPT        | 3/16"        | 11" w.c. At 100 PSIG Inlet | 9" - 13" w.c.              | 9 o'clock                      | 9 o'clock                      | 525,000          |
| REGLV404B9                                                                                                                                                                    | LV404B9          | F. POL           | 1/2" F.NPT        | 3/16"        | 11" w.c. At 100 PSIG Inlet | 9" - 13" w.c.              | Down                           | Over Outlet                    | 525,000          |
| REGLV404B9V9                                                                                                                                                                  | LV404B9V9        | F. POL           | 1/2" F.NPT        | 3/16"        | 11" w.c. At 100 PSIG Inlet | 9" - 13" w.c.              | 9 o'clock                      | 9 o'clock                      | 525,000          |
| REGLV404B96                                                                                                                                                                   | LV404B96         | F. POL           | 3/4" F.NPT        | 3/16"        | 11" w.c. At 100 PSIG Inlet | 9" - 13" w.c.              | Down                           | Over Outlet                    | 525,000          |
| REGLV404B96V9                                                                                                                                                                 | LV404B96V9       | F. POL           | 3/4" F.NPT        | 3/16"        | 11" w.c. At 100 PSIG Inlet | 9" - 13" w.c.              | 9 o'clock                      | 9 o'clock                      | 525,000          |

| COMPACT TWIN STAGE REGULATORS                                                                                                                                                 |             |                  |                   |              |                            |                            |                                   |                                  |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|-------------------|--------------|----------------------------|----------------------------|-----------------------------------|----------------------------------|----------------|
| This compact two stage regulator is designed to reduce container pressure down to 11" w.c. Ideal for average domestic service including small ASME & 100-420lb DOT Cylinders. |             |                  |                   |              |                            |                            |                                   |                                  |                |
| TGG PART NUMBER                                                                                                                                                               | PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE  | ADJUSTMENT RANGE 2ND STAGE | BONNET VENT POSITION 1ST STAGE ** | BONNET VENT POSITION 2ND STAGE** | VAPOR CAPACITY |
| REGLV404B34                                                                                                                                                                   | LV404B34    | 1/4" F. NPT      | 1/2" F.NPT        | 7/32"        | 11" w.c. At 100 PSIG Inlet | 9" to 13" w.c.             | Rear                              | Outlet                           | 450,000        |
| REGLV404B39                                                                                                                                                                   | LV404B39    | F.POL            | 1/2" F.NPT        | 7/32"        | 11" w.c. At 100 PSIG Inlet | 9" to 13" w.c.             | Rear                              | Outlet                           | 450,000        |
| REGLV404B34V9                                                                                                                                                                 | LV404B34V9  | 1/4" F. NPT      | 1/2" F.NPT        | 7/32"        | 11" w.c. At 100 PSIG Inlet | 9" to 13" w.c.             | Left                              | 9:00                             | 450,000        |
| REGLV404B39V9                                                                                                                                                                 | LV404B39V9  | F.POL            | 1/2" F.NPT        | 7/32"        | 11" w.c. At 100 PSIG Inlet | 9" to 13" w.c.             | Left                              | 9:00                             | 450,000        |

| TWO PSIG DELIVERY PRESSURE TWIN-STAGE REGULATORS                                                                                                                                  |             |                  |                   |              |                                  |                         |                                |                             |                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|-------------------|--------------|----------------------------------|-------------------------|--------------------------------|-----------------------------|-----------------|
| 2 PSIG Delivery pressure twin stage regulator designed to reduce container pressure down to 2 PSIG. A line pressure regulator is needed to reduce the 2PSIG to a nominal 11" w.c. |             |                  |                   |              |                                  |                         |                                |                             |                 |
| TGG PART NUMBER                                                                                                                                                                   | PART NUMBER | INLET CONNECTION | OUTLET CONNECTION | ORIFICE SIZE | FACTORY DELIVERY PRESSURE (PSIG) | ADJUSTMENT RANGE (PSIG) | BONNET VENT POSITION 1ST STAGE | 2 PSIG BONNET VENT POSITION | BTU/HR CAPACITY |
| REGLV404Y9                                                                                                                                                                        | LV404Y9     | F.POL (CGA 510)  | 1/2" F.NPT        | 7/32"        | 2                                | 1.8 to 2.5              | Down                           | Outlet                      | 800,000         |
| REGLV404Y39                                                                                                                                                                       | LV404Y39    | F.POL (CGA 510)  | 1/2" F.NPT        | 7/32"        | 2                                | 1.8 to 2.6              | Down                           | Outlet                      | 650,000         |

Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.





| REGO                                                                                        |             |
|---------------------------------------------------------------------------------------------|-------------|
| REGULATOR ACCESSORIES                                                                       |             |
| PRODUCT DESCRIPTION                                                                         | TGG PART #  |
| 2503-19 Rego Aluminum Bracket for LV404B4, LV404B9, LV5503, LV4403 Series Regulators        | REG250319   |
| 2503-22 Rego Steel Regulator Bracket for LV404B4, LV404B9, LV5503, LV4403 Series Regulators | REG250322   |
| 2302-31 Rego Regulator Bracket for LV3403, LV404B34, LV404B39 Series Regulators             | REG230231   |
| LV960-120 Rego 120" Adjustable Flex Vent Kit                                                | REGLV960120 |
| LV960-48 Rego 48" Adjustable Flex Vent Kit                                                  | REGLV96048  |
| LV960-72 Rego 72" Adjustable Flex Vent Kit                                                  | REGLV96072  |
| 1493 Rego Vent Suppressor Tube 3/8" X 1/2"                                                  | REG1493     |

| TWIN STAGE AUTOMATIC CHANGEOVER REGULATORS                                                                                                                                                                                                                                 |                  |                     |            |          |         |                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------|------------|----------|---------|--------------------------|
| These combination automatic changeover, two stage regulators are especially suitable for homes, mobile homes, and other portable two cylinder applications. Automatic changeover switches from "service" to "reserve" cylinder automatically without interrupting service. |                  |                     |            |          |         |                          |
| TGG PART NUMBER                                                                                                                                                                                                                                                            | REGO PART NUMBER | INLET               | OUTLET     | PIGTAILS | BRACKET | CAPACITY BTU/HR. PROPANE |
| REG7525B34                                                                                                                                                                                                                                                                 | 7525B34          | 1/4" Inverted Flare | 1/2" F.NPT | 912FA20  | 2302-31 | 400,000 BTU/hr           |
| REG7525B34                                                                                                                                                                                                                                                                 | 7525B34          | 1/4" Inverted Flare | 1/2" F.NPT | 912FS20  | 2302-31 | 400,000 BTU/hr           |
| REG7525B4                                                                                                                                                                                                                                                                  | 7525B4           | 1/4" Inverted Flare | 1/2" F.NPT | 912FA20  | 2503-22 | 450,000 BTU/hr           |
| REG7525B4                                                                                                                                                                                                                                                                  | 7525B4           | 1/4" Inverted Flare | 1/2" F.NPT | 912FS20  | 2503-22 | 450,000 BTU/hr           |

| 302 SERIES COMPACT REGULATORS                                                                                                                                                                                                                 |                  |              |                      |                   |                |                            |                  |                        |                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------|----------------------|-------------------|----------------|----------------------------|------------------|------------------------|---------------------------------|
| These compact regulators are designed for smaller outdoor grills and fish cookers. It is intended for use on small portable appliances that use 100,000 BTU's/hr or less. It may not be used on fixed pipe systems per NFPA 58, 1995 edition. |                  |              |                      |                   |                |                            |                  |                        |                                 |
| TGG PART NUMBER                                                                                                                                                                                                                               | REGO PART NUMBER | TYPE         | INLET CONNECTION     | OUTLET CONNECTION | ORIFICE SIZE   | FACTORY DELIVERY PRESSURE  | ADJUSTMENT RANGE | BONNET VENT POSITION   | VAPOR CAPACITY BTU/HR. PROPANE* |
| REG302                                                                                                                                                                                                                                        | 302              | Single Stage | 1/4" F.NPT           | 3/8" F. NPT       | "No. 50 Drill" | 11" w.c. at 100 PSIG inlet | 9-13" w.c.       | Small Vent Above Inlet | 125,000                         |
| REG302V                                                                                                                                                                                                                                       | 302V             | Single Stage | 1/4" F.NPT           | 3/8" F. NPT       | "No. 50 Drill" | 11" w.c. at 100 PSIG inlet | 9-13" w.c.       | Drip Lip Above Inlet   | 125,000                         |
| REG302V9                                                                                                                                                                                                                                      | 302V9            | Single Stage | 1/4" F.NPT           | 3/8" F. NPT       | "No. 50 Drill" | 11" w.c. at 100 PSIG inlet | 9-13" w.c.       | Drip Lip at 9 o'clock  | 125,000                         |
| REG302V9LS                                                                                                                                                                                                                                    | 302V9LS          | Single Stage | Soft POL w/o orifice | 3/8" F. NPT       | "No. 50 Drill" | 11" w.c. at 100 PSIG inlet | 9-13" w.c.       | Drip Lip at 9 o'clock  | 125,000                         |

| HIGH PRESSURE INDUSTRIAL/COMMERCIAL POUNDS-TO-POUNDS REGULATORS                                                                                                                                                                                                                           |                  |                   |                  |                   |                                            |                                              |                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------|------------------|-------------------|--------------------------------------------|----------------------------------------------|----------------------------|
| Designed to reduce propane gas container pressure down to between 3 and 100 PSIG. Ideal for liquid or vapor service, they can be used in a variety of applications including salamander heaters, weed burning torches, fish cookers, tar pot heaters, and other industrial type services. |                  |                   |                  |                   |                                            |                                              |                            |
| TGG PART NUMBER                                                                                                                                                                                                                                                                           | REGO PART NUMBER | ADJUSTMENT METHOD | INLET CONNECTION | OUTLET CONNECTION | RECOMMENDED DELIVERY PRESSURE RANGE (PSIG) | CAPACITY DETERMINED AT SET PRESSURE OF PSIG* | CAPACITY BTU/HR. PROPANE** |
| REG597FA                                                                                                                                                                                                                                                                                  | 597FA            | Tee Handle        | 1/4" F.NPT       | 1/4" F.NPT        | 1-15                                       | 10                                           | 1,750,000                  |
| REG597FB                                                                                                                                                                                                                                                                                  | 597FB            | Tee Handle        | 1/4" F.NPT       | 1/4" F.NPT        | 10-30                                      | 20                                           | 3,000,000                  |
| REG597FC                                                                                                                                                                                                                                                                                  | 597FC            | Tee Handle        | 1/4" F.NPT       | 1/4" F.NPT        | 20-45                                      | 30                                           | 3,500,000                  |
| REG597FD                                                                                                                                                                                                                                                                                  | 597FD            | Tee Handle        | 1/4" F.NPT       | 1/4" F.NPT        | 40-100                                     | 40                                           | 4,500,000                  |



| REGO                                                                                                                                                                                                                                                                              |                  |         |                   |                            |                                            |          |                 |                                              |                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------|-------------------|----------------------------|--------------------------------------------|----------|-----------------|----------------------------------------------|------------------------|
| HIGH PRESSURE INDUSTRIAL/COMMERCIAL POUNDS-TO-POUNDS REGULATORS                                                                                                                                                                                                                   |                  |         |                   |                            |                                            |          |                 |                                              |                        |
| Designed to reduce LP-Gas and anhydrous ammonia container pressures to between 3 and 125 PSIG. Precision built with a multi-million BTU capacity, the 1580V series is perfect for crop dryers, asphalt mixing plants, tar wagons, heat treating and other large industrial loads. |                  |         |                   |                            |                                            |          |                 |                                              |                        |
| TGG PART NUMBER                                                                                                                                                                                                                                                                   | REGO PART NUMBER | SERVICE | ADJUSTMENT METHOD | INLET & OUTLET CONNECTIONS | RECOMMENDED DELIVERY PRESSURE RANGE (PSIG) | A WIDTH  | B HEIGHT (MAX.) | CAPACITY DETERMINED AT SET PRESSURE OF PSIG* | CAPACITY**             |
| REG1584VN                                                                                                                                                                                                                                                                         | 1584VN           | LP-Gas  | Tee Handle        | 1/2" F.NPT                 | 3-30                                       | 2 15/16" | 4 7/8"          | 20                                           | 7,000,000 BTU/hr. LPG  |
| REG1584VL                                                                                                                                                                                                                                                                         | 1584VL           | LP-Gas  | Tee Handle        | 1/2" F.NPT                 | 25-50                                      | 2 15/16" | 4 7/8"          | 30                                           | 10,000,000 BTU/hr. LPG |
| REG1584VH                                                                                                                                                                                                                                                                         | 1584VH           | LP-Gas  | Tee Handle        | 1/2" F.NPT                 | 45-125                                     | 2 15/16" | 4 7/8"          | 60                                           | 10,000,000 BTU/hr. LPG |
| REG1586VN                                                                                                                                                                                                                                                                         | 1586VN           | LP-Gas  | Tee Handle        | 3/4" F.NPT                 | 3-30                                       | 3 1/2"   | 7"              | 20                                           | 7,500,000 BTU/hr. LPG  |
| REG1586VL                                                                                                                                                                                                                                                                         | 1586VL           | LP-Gas  | Tee Handle        | 3/4" F.NPT                 | 25-50                                      | 3 1/2"   | 7"              | 30                                           | 14,000,000 BTU/hr. LPG |
| REG1586VH                                                                                                                                                                                                                                                                         | 1586VH           | LP-Gas  | Tee Handle        | 3/4" F.NPT                 | 45-125                                     | 3 1/2"   | 7"              | 60                                           | 14,000,000 BTU/hr. LPG |
| REG1588VN                                                                                                                                                                                                                                                                         | 1588VN           | LP-Gas  | Tee Handle        | 1" F. NPT                  | 3-30                                       | 3 1/2"   | 7"              | 20                                           | 7,500,000 BTU/hr. LPG  |
| REG1588VL                                                                                                                                                                                                                                                                         | 1588VL           | LP-Gas  | Tee Handle        | 1" F. NPT                  | 25-50                                      | 3 1/2"   | 7"              | 30                                           | 14,000,000 BTU/hr. LPG |
| REG1588VH                                                                                                                                                                                                                                                                         | 1588VH           | LP-Gas  | Tee Handle        | 1" F. NPT                  | 45-125                                     | 3 1/2"   | 7"              | 60                                           | 14,000,000 BTU/hr. LPG |

| 3139 VAPOR RELIEF VALVES                                                                                                                                                                                                                                                                                  |                  |              |                    |                 |          |         |                                                      |                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------|--------------------|-----------------|----------|---------|------------------------------------------------------|-------------------|
| Designed for use as a relief valve on high pressure regulators to comply with NFPA 58 5.1.1 "High pressure regulators with a rated capacity of more than 500,000 BTU/hr where permitted to be used on two stage systems shall incorporate an integral relief valve or shall have a separate relief valve. |                  |              |                    |                 |          |         |                                                      |                   |
| TGG PART NUMBER                                                                                                                                                                                                                                                                                           | REGO PART NUMBER | SET PRESSURE | REGULATOR SETTINGS | CONNECTION SIZE | HEIGHT   | WIDTH   | FLOW CAPACITY AT 120% OF SET PRESSURE (SCFH PROPANE) | PIPE AWAY ADAPTER |
| REG313918                                                                                                                                                                                                                                                                                                 | 3139-18          | 18 PSIG      | 10 PSIG            | 1/4" M. NPT     | 2 27/32" | 1 1/16" | 1357*                                                | B- 009412-2B      |
| REG313926                                                                                                                                                                                                                                                                                                 | 3139-26          | 26 PSIG      | 15 PSIG            | 1/4" M. NPT     | 2 27/32" | 1 1/16" | 1725**                                               | B- 009412-2B      |
| REG313938                                                                                                                                                                                                                                                                                                 | 3139-38          | 38 PSIG      | 20 PSIG            | 1/4" M. NPT     | 2 27/32" | 1 1/16" | 2304***                                              | B- 009412-2B      |

| MAXITROL LINE REGULATORS                         |                |
|--------------------------------------------------|----------------|
| PRODUCT DESCRIPTION                              | TGG PART #     |
| 3/4" Maxitrol Line Regulator 600k Btuh 7-11"w.c. | MAX3255L34LP   |
| 1/2" Maxitrol Line Regulator 250k Btuh 7-11"w.c. | MAX3253L12LP   |
| 1/2" Maxitrol Line Regulator 500k Btuh 7-11"w.c. | MAX3255L12LP   |
| 1" Maxitrol Line Regulator 600k Btuh 7-11"w.c.   | MAX3255L1LP    |
| 1-1/4" Maxitrol Line Regulator 1.25 MBtuh 7-11"  | MAX3257AL114LP |
| Vent Limiting Device for 325-3, 325-3L, 325-3L47 | MAX12A09       |
| Vent Limiting Device for 325-5, 325-5L, 325-5L48 | MAX12A39       |
| Vent Limiting Device for 325-7A, 325-7AL         | MAX12A49       |
| Outdoor Vent Protector 325-3, 325-3L, RV48       | MAX13A15       |
| Outdoor Vent Protector 325-5, 325-5L, 210D, RV81 | MAX13A155      |
| Outdoor Vent Protector 325-7A, 325-7AL, 325-9L   | MAX13A25       |
| REGULATOR COVERS                                 |                |
| PRODUCT DESCRIPTION                              | TGG PART #     |
| Second Stage Regulator Cover                     | MEGR862        |
| Diversco Outdoor Gas Regulator Cover             | DIVRC800       |



Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.





A red, white, & blue logo  
doesn't make your LPG regulator  
American made.

# Making it 100% in America does.



## RegO® LPG regulators. Made in America and made to last.

"Designed" or "Tested" in America is just not the same as Made in America. At RegO, 100% of our regulators are manufactured in North Carolina by U.S. workers. When your customers demand American quality, it pays to learn the facts.

[regoproducts.com/usa](http://regoproducts.com/usa) | 336-226-3244

# REGO®



REGO OFFERS A COMPLETE LINE OF AMERICAN MADE LPG REGULATORS



| PIGTAILS / HOGTAILS & TEE BLOCKS                                              |                  |
|-------------------------------------------------------------------------------|------------------|
| TRIBAL PIGTAILS                                                               |                  |
| PRODUCT DESCRIPTION                                                           | TGG PART #       |
| POL Short X POL Short Dielectric 12" Pigtail                                  | POL.12PTDS       |
| POL Short X POL Short Dielectric 20" Pigtail                                  | POL.20PTDS       |
| POL Short X 1/4" MPT Dielectric 12" Pigtail                                   | POL.14MPT.12PTDS |
| POL Short X 1/4" MPT Dielectric 20" Pigtail                                   | POL.14MPT.20PTDS |
| POL Long X 1/4" MPT 20" Hogtail                                               | POL.14MPT.20HT   |
| POL Long X POL Long 20" Hogtail                                               | POL.20HT         |
| POL Long X POL Long 12" Hogtail                                               | POL.12HT         |
| POL Long X POL Long 36" Hogtail                                               | POL.36HT         |
| POL Long X POL Long 48" Hogtail                                               | POL.48HT         |
| POL Long X POL Long 12" Pigtail                                               | POL.12PT         |
| POL Long X POL Long 20" Pigtail                                               | POL.20PT         |
| POL Long X POL Long 20";Pigtail 1/8" Nut                                      | POL.20.118PT     |
| POL Long X POL Long 36" Pigtail                                               | POL.36PT         |
| POL Short X POL Short Dielectric 12" Pigtail                                  | POL.12PTDS       |
| POL Short X POL Short Dielectric 20" Pigtail                                  | POL.20PTDS       |
| POL Short X 1/4" MPT Dielectric 12" Pigtail                                   | POL.14MPT.12PTDS |
| POL Short X 1/4" MPT Dielectric 20" Pigtail                                   | POL.14MPT.20PTDS |
| POL Long X 1/4" MPT 20" Hogtail                                               | POL.14MPT.20HT   |
| POL Long X POL Long 20" Hogtail                                               | POL.20HT         |
| POL Long X POL Long 12" Hogtail                                               | POL.12HT         |
| POL Long X POL Long 36" Hogtail                                               | POL.36HT         |
| POL Long X POL Long 48" Hogtail                                               | POL.48HT         |
| POL Long X POL Long 12" Pigtail                                               | POL.12PT         |
| POL Long X POL Long 20" Pigtail                                               | POL.20PT         |
| POL Long X POL Long 20";Pigtail 1/8" Nut                                      | POL.20.118PT     |
| POL Long X POL Long 36" Pigtail                                               | POL.36PT         |
| POL Long X POL Long 48" Pigtail                                               | POL.48PT         |
| POL Long X POL Long 48" Pigtail 1-1/8" Nut                                    | POL.48.118PT     |
| POL Long X 1/4" Inverted Flare 20" Pigtail                                    | POL.14IF.20PT    |
| POL Long X 1/4" Inverted Flare 36" Pigtail                                    | POL.14IF.36PT    |
| POL Long X 1/4" MPT 12" Pigtail                                               | POL.14MPT.12PT   |
| POL Long X 1/4" MPT 20" Pigtail                                               | POL.14MPT.20PT   |
| REGO PIGTAILS                                                                 |                  |
| Rego 1/4" M.NPT X M.POL 7/8" Hex Short Nipple 12" Pigtail 1/4" Tube           | REG912JS12       |
| Rego 1/4" M.NPT X M.POL 7/8" Hex Short Nipple 20" Pigtail 1/4" Tube           | REG912JS20       |
| Rego 1/4" M.NPT X M.POL 7/8" Hex Short Nipple 36" Pigtail 1/4" Tube           | REG912JS36       |
| Rego 1/4" Inverted Flare X M.POL 7/8" Hex Short Nipple 12" Pigtail 1/4" Tube  | REG912FS12       |
| Rego 1/4" Inverted Flare X M.POL 7/8" Hex Short Nipple 20" Pigtail 1/4" Tube  | REG912FS20       |
| Rego 1/4" Inverted Flare X M.POL 7/8" Hex Short Nipple 30" Pigtail 1/4" Tube  | REG912FS30       |
| Rego 1/4" Inverted Flare X M.POL 7/8" Hex Short Nipple 36" Pigtail 1/4" Tube  | REG912FS36       |
| Rego 1/4" Inverted Flare X M.POL 1-1/8" Hex Long Nipple 48" Pigtail 1/4" Tube | REG912PA48       |
| Rego 1/4" Inverted Flare X M.POL 1-1/8" Hex Long Nipple 20" Pigtail 1/4" Tube | REG912FA20       |
| Rego M.POL X M.POL 1-1/8" Hex Long Nipple 20" Pigtail 1/4" Tube               | REG912PA20       |
| Rego M.POL X M.POL 1-1/8" Hex Long Nipple 36" Pigtail 1/4" Tube               | REG912PA36       |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 12" Pigtail 1/4" Tube                | REG912PS12       |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 20" Pigtail 1/4" Tube                | REG912PS20       |



Click on or Scan this code with our  
Mobile app or your smartphone camera  
to view these products online.





| PIGTAILS / HOGTAILS & TEE BLOCKS                                                          |                   |
|-------------------------------------------------------------------------------------------|-------------------|
| REGO PIGTAILS                                                                             |                   |
| PRODUCT DESCRIPTION                                                                       | TGG PART #        |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 30" Pigtail 1/4" Tube                            | REG912PS30        |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 36" Pigtail 1/4" Tube                            | REG912PS36        |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 48" Pigtail 1/4" Tube                            | REG912PS48        |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 5" Hogtail 3/8" Tube                             | REG913JS05        |
| Rego 1/4" M.NPT X M.POL 7/8" Hex Short Nipple 5" 90 Degree Bend Pigtail 3/8" Tube         | REG913JS05A       |
| Rego 1/2" M.NPT X 3/8" M.NPT 7/8" Hex Short Nipple 12" Hogtail 3/8" Tube                  | REG913KL12        |
| Rego 1/2" M.NPT X M.POL 7/8" Hex Short Nipple 12" Hogtail 3/8" Tube                       | REG913LS12        |
| Rego 1/4" M.POL X M.POL 7/8" Hex Short Nipple 5" 90 Degree Bend Pigtail 3/8" Tube         | REG913PS05A       |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 12" Hogtail 3/8" Tube                            | REG913PS12        |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 12" 270 Degree Right Hand Bend Pigtail 3/8" Tube | REG913PS12G       |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 12" 270 Degree Left Hand Bend Pigtail 3/8" Tube  | REG913PS12H       |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 20" Hogtail 3/8" Tube                            | REG913PS20        |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 30" Hogtail 3/8" Tube                            | REG913PS30        |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 36" Hogtail 3/8" Tube                            | REG913PS36        |
| Rego M.POL X M.POL 7/8" Hex Short Nipple 48" Hogtail 3/8" Tube                            | REG913PS48        |
| REGO PIGTAILS WITH PRESTO-TAP                                                             |                   |
| 12" POL X POL Pigtail With Presto-Tap                                                     | REGPT912PS12      |
| 20" POL X POL Pigtail With Presto-Tap                                                     | REGPT912PS20      |
| 48" POL X POL Pigtail With Presto-Tap                                                     | REGPT912PS48      |
| 12" POL X 1/4" Pigtail With Presto-Tap                                                    | REGPT912JS12      |
| 20" POL X 1/4" Pigtail With Presto-Tap                                                    | REGPT912JS20      |
| 12" 3/8" POL Hogtail With Presto-Tap                                                      | REGPT913PS12      |
| 12" 3/8" POL X 1/4" Hogtail With Presto-Tap                                               | REGPT913JS12      |
| TEE BLOCKS                                                                                |                   |
| PRODUCT DESCRIPTION                                                                       | TGG PART #        |
| 1/4" Inv Flare 1/4" M.NPT Tee Check Manifold                                              | REG1450R          |
| 1/4" Inv Flare 1/4" M.NPT Tee Block Manifold                                              | REG1450E          |
| F.POL M.POL Tee Check Manifold                                                            | REG1350R          |
| F.POL M.POL Tee Block Manifold                                                            | REG1350E          |
| F X F X M POL Hard Nose Tee Block                                                         | FAI2001SHN        |
| F.POL X M.POL Manifold;Block Tee W/1-1/8" Nut                                             | FAI2001SLNHN      |
| 2101-S F.POL X 1-1/8" M.POL Hex Manifold Block                                            | FAI2101S          |
| 2001-SX F.POL X M.POL Manifold Block Tee Assy                                             | FAI2001SX         |
| 2001-S F.POL X M.POL Manifold Block Tee Assy                                              | FAI2001S          |
| DIELECTRIC UNIONS                                                                         |                   |
| PRODUCT DESCRIPTION                                                                       | TGG PART #        |
| 1/2" IPS LF Black Dielectric Union                                                        | WATLF300612       |
| 3/4" IPS LF Black Dielectric Union                                                        | WATLF300634       |
| 1" IPS LF Black Dielectric Union                                                          | WATLF30061        |
| STAINLESS STEEL FLEX CONNECTORS                                                           |                   |
| PRODUCT DESCRIPTION                                                                       | TGG PART #        |
| SS Dbl Brd Flex Conn Sch. 80 NPT 3/4" X 12"                                               | TWI34.12SSBLPHOSE |
| SS Dbl Brd Flex Conn Sch. 80 NPT 3/4" X 18"                                               | TWI34.18SSBLPHOSE |
| SS Dbl Brd Flex Conn Sch. 80 NPT 1" X 12"                                                 | TWI1.12SSBLPHOSE  |
| SS Dbl Brd Flex Conn Sch. 80 NPT 1" X 18"                                                 | TWI1.18SSBLPHOSE  |





## UNDERGROUND PIPING, CONTINENTAL STAB FITTINGS, FLEX AND ANODELESS RISERS

| PRODUCT DESCRIPTION                        | TGG PART #            |
|--------------------------------------------|-----------------------|
| 1/2" IPS X 150' PE Gas Pipe Yellow SDR9.33 | 12IPS.150PETUBESDR933 |
| 1/2" IPS X 300' PE Gas Pipe Yellow SDR9.33 | 12IPS.300PETUBESDR933 |
| 1/2" IPS X 500' PE Gas Pipe Yellow SDR9.33 | 12IPS.500PETUBESDR933 |
| 1/2" CTS X 150' PE Gas Pipe Yellow SDR7    | 12CTS.150PETUBESDR7   |
| 1/2" CTS X 250' PE Gas Pipe Yellow SDR7    | 12CTS.250PETUBESDR7   |
| 1/2" CTS X 300' PE Gas Pipe Yellow SDR7    | 12CTS.300PETUBESDR7   |
| 1/2" CTS X 500' PE Gas Pipe Yellow SDR7    | 12CTS.500PETUBESDR7   |
| 3/4" IPS X 150' PE Gas Pipe Yellow SDR11   | 34IPS.150PETUBESDR11  |
| 3/4" IPS X 250' PE Gas Pipe Yellow SDR11   | 34IPS.250PETUBESDR11  |
| 3/4" IPS X 500' PE Gas Pipe Yellow SDR11   | 34IPS.500PETUBESDR11  |
| 1" IPS X 150' PE Gas Pipe Yellow SDR11     | 11IPS.150PETUBESDR11  |
| 1" IPS X 250' PE Gas Pipe Yellow SDR11     | 11IPS.250PETUBESDR11  |
| 1" IPS X 300' PE Gas Pipe Yellow SDR11     | 11IPS.300PETUBESDR11  |
| 1-1/4" IPS X 150' PE Gas Pipe Yellow SDR11 | 114IPS.150PETUBESDR11 |
| 1-1/4" IPS X 250' PE Gas Pipe Yellow SDR11 | 114IPS.250PETUBESDR11 |
| 1-1/2" IPS X 200' PE Gas Pipe Yellow SDR11 | 112IPS.200PETUBESDR11 |
| 1-1/2" IPS X 300' PE Gas Pipe Yellow SDR11 | 112IPS.300PETUBESDR11 |
| 1-1/2" IPS X 500' PE Gas Pipe Yellow SDR11 | 112IPS.500PETUBESDR11 |
| 2" IPS X 20' PE Gas Pipe Yellow SDR11      | 2IPS.20PETUBESDR11    |
| 2" IPS X 150' PE Gas Pipe Yellow SDR11     | 2IPS.150PETUBESDR11   |
| 2" IPS X 200' PE Gas Pipe Yellow SDR11     | 2IPS.200PETUBESDR11   |
| 2" IPS X 300' PE Gas Pipe Yellow SDR11     | 2IPS.300PETUBESDR11   |



## CONTINENTAL ANODELESS METER RISER

\*\*\*LARGER DIAMETERS & LONGER LENGTHS AVAILABLE\*\*\*

| PRODUCT DESCRIPTION                         | TGG PART #           |
|---------------------------------------------|----------------------|
| 1/2" MPT X CTS Anodeless Meter Riser w/Stab | CS12MPT.CTSAMR       |
| 3/4" MPT X 1/2" IPS Anodeless Meter Riser   | CS34MPT.12IPSAMR     |
| 3/4" MPT X IPS Anodeless Meter Riser Stab   | CS34MPT.IPSAMR       |
| 1" MPT X IPS Anodeless Meter Riser w/Stab   | CS1MPT.IPSAMR        |
| 1-1/4" MPT X IPS Anodeless Meter Riser w/   | CS114MPT.IPSAMRSDR11 |



## X-RISER BY CHICAGO FITTINGS FLEX RISER

\*\*\*LARGER DIAMETERS & LONGER LENGTHS AVAILABLE\*\*\*

| PRODUCT DESCRIPTION                       | TGG PART #     |
|-------------------------------------------|----------------|
| 1/2" MPT X CTS 36" Meter Flex Riser .090  | 12MPT.CTS.36FR |
| 1/2" MPT X CTS 72" Meter Flex Riser .090  | 12MPT.CTS.72FR |
| 1/2" MPT X IPS 36" Meter Flex Riser .090  | 12MPT.IPS.36FR |
| 3/4" MPT X IPS 36" Meter Flex Riser .095  | 34MPT.IPS.36FR |
| 3/4" MPT X IPS 72" Meter Flex Riser SDR11 | 34MPT.IPS.72FR |
| 1" MPT X IPS 36" Meter Flex Riser .119    | 1MPT.IPS.36FR  |



Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.



| CON-STAB ID SEAL® FITTINGS BY CONTINENTAL INDUSTRIES |                       |
|------------------------------------------------------|-----------------------|
| PRODUCT DESCRIPTION                                  | TGG PART #            |
| 1/2" CTS Full Coupling                               | CS12CTSFCL            |
| 3/4" IPS Full Coupling                               | CS34IPSFCL            |
| 1" IPS Full Coupling                                 | CS1IPSFCL             |
| 1" IPS Chamfer Tool w/Gauge                          | CS1IPSIDCTWG          |
| 3/4" IPS Chamfer Tool w/Gauge                        | CS34IPSIDCTWG         |
| 1/2" X 14" "Scope" Expandable Repair Coupling        | CS12IPSERC            |
| 3/4" IPS X MPT Short Steel Transition Fitting        | CS34IPS.MPTSTRANFTGWS |
| 1" MPT X IPS Steel Transition Fitting                | CS1MPT.IPSTRANFTGWS   |
| 1/2" CTS 3-Way Tee                                   | CS12CTST              |
| 3/4" IPS 3-Way Tee                                   | CS34IPST              |
| 1" IPS 3-Way Tee                                     | CS1IPST               |
| 3/4" X 14" "Scope" Expandable Repair Coupling        | CS34IPSERC            |
| 3/4" IPS x 1/2" IPS Reducer Coupling                 | CS34IPS.12IPSRCL      |
| 1" IPS x 3/4" IPS Reducer Coupling                   | CS1IPS.34IPSRCL       |
| 1-1/4" IPS X 3/4" IPS Reducer Coupling               | CS114IPS.34IPSRCL     |
| 3/4" IPS X MPT Long Transition Fitting               | CS34IPS.MPTLTRANFTGLS |
| 1" IPS X MPT Long Transition Fitting                 | CS1IPS.MPTLTRANFTGLS  |
| Universal Riser Bracket                              | CSURB                 |
| 3" X 1000' Magnetic Tape Yellow                      | PLSGASTAPE3           |
| 2" X 1000' Magnetic Tape Yellow                      | PLSGASTAPE2           |
| 500' 14Ga Tracer Wire Copper Clad                    | PLSTWCLAD14           |
| 500' 14Ga Tracer Wire Solid Copper                   | PLSTWSOLID14          |
| 500' 14 Ga Continental Tracer Wire Yell              | CSGTW                 |
| 3" X 1000' Non-Detectable Gas Tape                   | PLSGASTAPE3ND         |
| 1/2" CTS Tracer Spacer                               | TS12CTS               |
| 3/4" IPS / 1" CTS Tracer Spacer                      | TS34IPS               |
| 1" IPS Tracer Spacer                                 | TS1IPS                |



| RIDGID UNDERGROUND UTILITY DETECTORS |            |
|--------------------------------------|------------|
| PRODUCT DESCRIPTION                  | TGG PART # |
| SR-20 Utility Locator Receiver       | R21893     |
| ST-305 Utility Transmitter 5 Watt    | R21898     |
| MR-10 Magnetic Locator               | R53068     |

| DORMONT GAS CONNECTORS                                                                  |              |
|-----------------------------------------------------------------------------------------|--------------|
| ***Below are stocked sizes many other lengths and connections available for shipment*** |              |
| LOW VISIBILITY STAINLESS GAS LOG AND SPACE HEATER CONNECTOR                             |              |
| PRODUCT DESCRIPTION                                                                     | TGG PART #   |
| 3/8" OD X 12" 3/8" X 3/8" M X M Gas Connector                                           | DOR10A212112 |
| 3/8" OD X 18" 3/8" X 3/8" M X M Gas Connector                                           | DOR10A212118 |
| STAINLESS GAS LOG AND SPACE HEATER CONNECTOR                                            |              |
| PRODUCT DESCRIPTION                                                                     | TGG PART #   |
| 3/8" OD X 12" 3/8" X;3/8" M X M Gas Connector                                           | DOR10212112  |
| 3/8" OD X 12" 1/2" X;1/2" M X M Gas Connector                                           | DOR10313112  |
| 3/8" OD X 18" 3/8" X;3/8" M X M Gas Connector                                           | DOR10212118  |
| 3/8" OD X 48" 3/8" X;3/8" M X M Gas Connector                                           | DOR10212148  |
| 3/8" OD X 48" 1/2" X;1/2" M X M Gas Connector                                           | DOR10313148  |






# ***Continental Industries***

## **The Ultimate Connection**

**[www.conind.com](http://www.conind.com)**



**Con-Stab Couplings**



**Con-Stab Tees**



**Con-Stab Elbows**



**Chamfer Tools**



**Anodeless Risers**



**Tracer Wire**



**Gas Connectors & Accessories**

| STAINLESS GAS DRYER AND WATER HEATER CONNECTOR                                                           |               |
|----------------------------------------------------------------------------------------------------------|---------------|
| PRODUCT DESCRIPTION                                                                                      | TGG PART #    |
| 1/2" OD X 12" 1/2" X 3/8" M X F Gas Connector                                                            | DOR20313112   |
| 1/2" OD X 18" 1/2" X 3/8" M X F Gas Connector                                                            | DOR20313118   |
| 1/2" OD X 24" 1/2" X 3/8" M X F Gas Connector                                                            | DOR20313124   |
| 1/2" OD X 30" 1/2" X 3/8" M X F Gas Connector                                                            | DOR20313130   |
| 1/2" OD X 48" 1/2" X 1/2" M X M Gas Connector                                                            | DOR20313148   |
| 1/2" OD X 60" 1/2" X 3/8" M X F Gas Connector                                                            | DOR20313160   |
| FOOD SERVICE KIT W/BLEU HOSE, 1 ELBOW, RESTRAINING DEVICE, & SNAPFAST QUICK DISCONNECT                   |               |
| PRODUCT DESCRIPTION                                                                                      | TGG PART #    |
| 3/4" ID X 36" Gas Connect Kit W/SnapFast                                                                 | DOR1675BPQR36 |
| 3/4" ID X 48" Gas Connect Kit W/SnapFast                                                                 | DOR1675BPQR48 |
| 3/4" ID X 48" Stationary;Gas Connector                                                                   | DOR1675NPFS48 |
| FOOD SERVICE KIT W/BLEU HOSE, SNAPFAST QUICK DISCONNECT, FULL PORT VALVE, 2 ELBOWS, & RESTRAINING DEVICE |               |
| PRODUCT DESCRIPTION                                                                                      | TGG PART #    |
| 3/4" ID X 36" Gas Connect Kit                                                                            | DOR1675KIT36  |
| 3/4" ID X 48" Gas Connect Kit                                                                            | DOR1675KIT48  |
| STAINLESS GAS RANGE AND FURNACE CONNECTOR                                                                |               |
| PRODUCT DESCRIPTION                                                                                      | TGG PART #    |
| 5/8" OD X 12" 1/2" X 1/2" M X M Gas Connector                                                            | DOR30313112   |
| 5/8" OD X 18" 1/2" X 1/2" M X M Gas Connector                                                            | DOR30313118   |
| 5/8" OD X 24" 1/2" X 1/2" M X M Gas Connector                                                            | DOR30313124   |
| 5/8" OD X 36" 1/2" X 1/2" M X M Gas Connector                                                            | DOR30313136   |
| 5/8" OD X 48" 1/2" X 1/2" M X M Gas Connector                                                            | DOR30313148   |
| 5/8" OD X 60" 1/2" X 1/2" M X M Gas Connector                                                            | DOR30313160   |
| 5/8" OD X 24" 1/2" X 1/2" F X F Gas Connector                                                            | DOR30323224   |
| 5/8" OD X 48" 1/2" X 1/2" F X F Gas Connector                                                            | DOR30323248   |
| YELLOW COATED STAINLESS GAS RANGE AND FURNACE CONNECTOR                                                  |               |
| PRODUCT DESCRIPTION                                                                                      | TGG PART #    |
| 5/8" OD X 12" 1/2" X 1/2" F X F Gas Connector                                                            | DOR30C323212  |
| 5/8" OD X 18" 1/2" X 1/2" F X F Gas Connector                                                            | DOR30C323218  |
| 5/8" OD X 24" 1/2" X 1/2" F X F Gas Connector                                                            | DOR30C323224  |
| 5/8" OD X 30" 1/2" X 1/2" F X F Gas Connector                                                            | DOR30C323230  |
| 5/8" OD X 36" 1/2" X 1/2" F X F Gas Connector                                                            | DOR30C323236  |



**YELLOW COATED STAINLESS GAS RANGE AND FURNACE CONNECTOR**

| PRODUCT DESCRIPTION                           | TGG PART #   |
|-----------------------------------------------|--------------|
| 5/8" OD X 48" 1/2" X 1/2" F X F Gas Connector | DOR30C323248 |
| 5/8" OD X 48" 1/2" X 1/2" M X M Gas Connector | DOR30C313148 |
| 5/8" OD X 60" 1/2" X 1/2" F X F Gas Connector | DOR30C323260 |
| 5/8" OD X 72" 1/2" X 1/2" F X F Gas Connector | DOR30C323272 |
| 5/8" OD X 24" 3/4" X 3/4" F X F Gas Connector | DOR30C424224 |
| 5/8" OD X 36" 3/4" X 3/4" F X F Gas Connector | DOR30C424236 |
| 5/8" OD X 48" 3/4" X 3/4" F X F Gas Connector | DOR30C424248 |

**PORTABLE OUTDOOR GAS CONNECTORS**

| PRODUCT DESCRIPTION                          | TGG PART # |
|----------------------------------------------|------------|
| 1/2" ID X 12" Portable Outdoor Gas Connector | DOR30D12QD |

**15 PSIG STAINLESS PROPANE GAS CONNECTOR**

| PRODUCT DESCRIPTION                           | TGG PART #     |
|-----------------------------------------------|----------------|
| 5/8" OD X 36" 1/2" X 1/2" M X F Gas Connector | DOR31P31P32P36 |
| 5/8" OD X 48" 1/2" X 1/2" M X F Gas Connector | DOR31P31P32P48 |

**STAINLESS BOILER AND TANKLESS WATER HEATER HIGH BTU CONNECTOR**

| PRODUCT DESCRIPTION                         | TGG PART #  |
|---------------------------------------------|-------------|
| 1" OD X 24" 3/4" X 3/4" M X F Gas Connector | DOR40414224 |
| 1" OD X 36" 3/4" X 3/4" M X F Gas Connector | DOR40414236 |
| 1" OD X 48" 3/4" X 3/4" M X F Gas Connector | DOR40414248 |

**GRAY PVC COATED STAINLESS BOILER AND TANKLESS WATER HEATER HIGH BTU CONNECTOR**

| PRODUCT DESCRIPTION                         | TGG PART #  |
|---------------------------------------------|-------------|
| 1" OD X 12" 3/4" X 3/4" M X F Gas Connector | DOR41414212 |
| 1" OD X 18" 3/4" X 3/4" M X F Gas Connector | DOR41414218 |
| 1" OD X 24" 3/4" X 3/4" M X F Gas Connector | DOR41414224 |
| 1" OD X 36" 3/4" X 3/4" M X F Gas Connector | DOR41414236 |
| 1" OD X 48" 3/4" X 3/4" M X F Gas Connector | DOR41414248 |
| 1" OD X 60" 3/4" X 3/4" M X F Gas Connector | DOR41414260 |
| 5/8" OD Flare X 1/2" MPT Gas Adapter        | DOR903031   |
| 5/8" OD Flare X 1/2" FPT Gas Adapter        | DOR903032   |
| 5/8" OD Flare X 3/4" MPT Gas Adapter        | DOR903041   |
| 5/8" OD Flare X 3/4" FPT Gas Adapter        | DOR903042   |



Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.





| BURNABY GAS OUTLET BOXES                          |                    |
|---------------------------------------------------|--------------------|
| PRODUCT DESCRIPTION                               | TGG PART #         |
| White PVC Gas Outlet Box 1/2" NPT                 | BURG01016W50       |
| Grey PVC Gas Outlet Box 1/2" NPT                  | BURG01016G50       |
| 3/8"X10' Hose for G0101-6W50 Gas Outlet Box       | BUR324394          |
| 3/8" Hansen Quick Disconnect for Socket           | BUR100006          |
| 1/2" Inlet x 1/2" Outlet w/3 Hour Timer Stainless | BURBBQSSTIMER503HR |
| 1/2" Hansen Box End Disconnect                    | BUR100508          |
| 1" Hansen Quick Disconnect Socket                 | BUR100012          |
| 3/8" Hansen Box End Disconnect                    | BUR100506          |
| 1" Hansen Box End Disconnect                      | BUR100512          |
| 1/2" Hansen Quick Disconnect Socket               | BUR100008          |
| PROPANE TANK HAND CART                            |                    |
| PRODUCT DESCRIPTION                               | TGG PART #         |
| Saf-T-Cart Large Duty for 60 & 120 Gall           | SAF79004P          |



| REPAIR PARTS: IGNITORS, THERMOPILES, THERMOCOUPLES, & PILOT ASSEMBLIES |            |                         |                  |                     |
|------------------------------------------------------------------------|------------|-------------------------|------------------|---------------------|
| DESCRIPTION                                                            | TGG PART # | TERMINAL CONNECTOR TYPE | LEAD WIRE LENGTH | CERAMIC BLOCK STYLE |
| Hot Surface Carbide Ignitor W/ Gasket                                  | UL41401    | A                       | 4-1/2"           | A                   |
| Hot Surface Carbide Ignitor                                            | UL41402    | NA                      | 19"              | B                   |
| Hot Surface Carbide Ignitor                                            | UL41403    | NA                      | 5-1/2"           | C                   |
| Hot Surface Carbide Ignitor W/ Special Mounting Adaptor                | UL41404    | D                       | 4-1/2"           | C                   |
| Hot Surface Carbide Ignitor                                            | UL41405    | NA                      | 5-1/2"           | D                   |
| Hot Surface Carbide Ignitor W/ Gasket                                  | UL41406    | NA                      | 10-1/2"          | E                   |
| Hot Surface Carbide Ignitor                                            | UL41407    | B                       | 4-1/2"           | C                   |
| Hot Surface Carbide Ignitor                                            | UL41408    | C                       | 5"               | V                   |
| Hot Surface Carbide Ignitor                                            | UL41409    | D                       | 4-1/2"           | C                   |
| Hot Surface Carbide Ignitor                                            | UL41410    | B                       | 4-1/2"           | B                   |
| Hot Surface Carbide Ignitor W/ Special Mounting Adaptor                | UL41411    | C                       | 4-1/2"           | B                   |
| Hot Surface Carbide Ignitor                                            | UL41412    | D                       | 5-1/4"           | F                   |
| Hot Surface Carbide Ignitor W/ Special Mounting Adaptor                | UL41414    | D                       | 5-1/4"           | F                   |

| REPAIR PARTS: IGNITORS, THERMOPILES, THERMOCOUPLES, & PILOT ASSEMBLIES |         |            |      |             |
|------------------------------------------------------------------------|---------|------------|------|-------------|
| COOKING HOT SURFACE IGNITORS                                           |         | AMP RATING | TYPE | LEAD LENGTH |
| Hot Surface Furnace Ignitor                                            | UL41204 | 3.2-3.6 A  | 501A | 14 1/2"     |
| Hot Surface Ignitor F/Gas Range & Oven                                 | UL41205 | 3.2-3.6 A  | 501A | 19"         |
| Hot Surface Ignitor F/Gas Range & Oven                                 | UL41208 | 2.5-3.0 A  | 551A | 4 1/4"      |
| Hot Surface Ignitor F/Gas Oven Range                                   | UL41215 | 3.2-3.6 A  | 501A | 19"         |

| REPAIR PARTS: IGNITORS, THERMOPILES, THERMOCOUPLES, & PILOT ASSEMBLIES |              |
|------------------------------------------------------------------------|--------------|
| PRODUCT DESCRIPTION                                                    | TGG PART #   |
| 1950-001 Uni-Line 36" Thermopile With PG9 Pilot Adaptor                | UL1950001    |
| 1951-536 Uni-Line 36" Thermopile Less Pilot Adapter                    | UL1951536    |
| 1950-532 Uni-Line 36" Thermopile Without Ends                          | UL1950532    |
| 1951-001 Uni-Line 36" Thermopile                                       | UL1951001    |
| 1950-548 Uni-Line 48" Thermopile                                       | UL1950548    |
| Honeywell 35" 750 Millivolt Thermopile Generator With Clip             | HONQ313A1139 |

## REPAIR PARTS: IGNITORS, THERMOPILES, THERMOCOUPLES, & PILOT ASSEMBLIES

| PRODUCT DESCRIPTION                                                         | TGG PART #    |
|-----------------------------------------------------------------------------|---------------|
| Honeywell 35" 750 Millivolt Thermopile Generator With PG9 Adapter           | HONQ313A1170  |
| Honeywell 35" 750 Millivolt Thermopile Generator With Clip & Nut            | HONQ313A1188  |
| Honeywell 35" 750 Millivolt Thermopile Generator With Junction Box          | HONQ313B1005  |
| 1970-018 Uni-Line 18" Millivolt Uni-Couple                                  | UL1970018     |
| 1970-024 Uni-Line 24" Millivolt Uni-Couple                                  | UL1970024     |
| 1970-030 Uni-Line 30" Millivolt Uni-Couple                                  | UL1970030     |
| 1970-036 Uni-Line 36" Millivolt Uni-Couple                                  | UL1970036     |
| 1980-018 Uni-Line 18" Snap-Fit Thermocouple                                 | UL1980018     |
| 1980-024 Uni-Line 24" Snap-Fit Thermocouple                                 | UL1980024     |
| 1960-027 Uni-Line 27" Low Mass Thermocouple                                 | UL1960027     |
| 1980-030 Uni-Line 30" Snap-Fit Thermocouple                                 | UL1980030     |
| 1980-036 Uni-Line 36" Snap-Fit Thermocouple                                 | UL1980036     |
| 1980-048 Uni-Line 48" Snap-Fit Thermocouple                                 | UL1980048     |
| 1980-060 Uni-Line 60" Snap-Fit Thermocouple                                 | UL1980060     |
| Q340A1074/U Honeywell 24" Thermocouple Kit                                  | HONQ340A1074  |
| Q340A1082/U Honeywell 30" Thermocouple Kit                                  | HONQ340A1082  |
| Q340A1090/U Honeywell 36" Thermocouple Kit                                  | HONQ340A1090  |
| Q340A1108/U Honeywell 48" Thermocouple Kit                                  | HONQ340A1108  |
| Q340A1066/U Honeywell 18" Millivolt Thermocouple Kit                        | HONQ340A1066  |
| Q390A1046/U Honeywell 24" 30 Millivolt Thermocouple                         | HONQ390A1046  |
| Q390A1053/U Honeywell 30" 30 Millivolt Thermocouple                         | HONQ390A1053  |
| Q390A1061/U Honeywell 36" 30 Millivolt Thermocouple                         | HONQ390A1061  |
| Q390A1095/U Honeywell 18" 30 Millivolt Thermocouple                         | HONQ390A1095  |
| Q390A1103/U Honeywell 48" 30 Millivolt Thermocouple                         | HONQ390A1103  |
| Q3200U1004/U Honeywell Glowfly Universal Hot Surface Ignitor Kit            | HONQ3200U1004 |
| Q3200U2002/U Honeywell Glowfly Universal Hot Surface Ignitor Kit 6 Pack     | HONQ3200U2002 |
| Q3400A1024/U Honeywell 30" Ignitor Flame Rod Assembly For SmartValve Pilots | HONQ3400A1024 |
| Q3400A1081/U Honeywell 36" Ignitor Flame Rod Assembly For Smartvalve Pilots | HONQ3400A1081 |
| Honeywell Universal Intermittent Pilot Burner Assembly For LP & Natural Gas | HONQ3451U1000 |
| Honeywell Universal Intermittent Pilot Burner Assembly For LP & Natural Gas | HONQ345U1005  |
| Honeywell Universal Intermittent Pilot Burner Assembly For LP & Natural Gas | HONQ348U1009  |
| Honeywell Standing Pilot Burner Assembly For LP & Natural Gas               | HONQ314U1001  |
| 1/4" X 5' Aluminum Tubing                                                   | UL11293       |
| 1/4" x 50' Aluminum Tubing                                                  | UL11193       |
| 1/8" Aluminum Tubing W/Fittings                                             | UL11291       |
| 3/16" X 5' Aluminum Tubing                                                  | UL11292       |
| 1/8" Breakaway Ferrule Per Each                                             | UL4590065     |
| 1/4" Breakaway Ferrule Per Each                                             | UL4590069     |
| 1/4" Extended Breakaway Ferrule                                             | UL4590816     |
| 10-114 Uni-Line .010 Orifice LP 3/16" - 1/4" Tube Size                      | UL10114       |
| 10-211 Uni-Line .011 Orifice LP 3/16" - 1/4" Tube Size                      | UL10211       |
| 10-261 Uni-Line .0088 Orifice LP 1/4" Tube Size                             | UL10261       |

Click on or Scan this code with our  
Mobile app or your smartphone camera  
to view these products online.



| PRESSURE TESTING                                       |             |  |
|--------------------------------------------------------|-------------|------------------------------------------------------------------------------------|
| PRODUCT DESCRIPTION                                    | TGG PART #  |                                                                                    |
| 1/8" LP Check Valve W/ 1/4" Cap #2 Brass 10Pk          | ACBA31482   |                                                                                    |
| 1/4" LP Check Valve W/ 1/4" Cap #2 Brass 10Pk          | ACBA31484   |                                                                                    |
| 1/8" LP Check Valve/Schrader 10Pk                      | ACBASN18L   |                                                                                    |
| 1/4" LP Check Valve/Schrader 10Pk                      | ACBASN25L   |                                                                                    |
| 3/4" FPT O-15 Gauge Low Pressure Test Block            | MEJ61015    |                                                                                    |
| MEJ400 1/4" Standard #54 Orifice Vent Valve            | MEJ400      |                                                                                    |
| F.POL X M.POL X 1/8" FPT #54 Plug Assy                 | FAI202054   |                                                                                    |
| M.POL X F.POL Pressure Tap W/O Plug                    | ME2951      |                                                                                    |
| 2" O-30 PSI LF Pressure Gauge 1/4" LM                  | WINPEM199LF |                                                                                    |
| 2" O-15 PSI LF Pressure Gauge 1/4" LM                  | WINPEM136LF |                                                                                    |
| 2-1/2" O-5 PSI Low Pressure Gauge 1/4" LM              | WINPLP305   |                                                                                    |
| 2-1/2" PLP Steel Low Pressure Gauge W/1/4" LM O-32" WC | WINPLP301   |                                                                                    |
| 2" O-30 PSI LF Pressure Gauge 1/4" LM                  | WINPEM199LF |                                                                                    |
| 2" O-15 PSI LF Pressure Gauge 1/4" LM                  | WINPEM136LF |                                                                                    |
| 2-1/2" O-5 PSI Low Pressure Gauge 1/4" LM              | WINPLP305   |                                                                                    |
| 2-1/2" PLP Steel Low Pressure Gauge W/1/4" LM O-32" WC | WINPLP301   |                                                                                    |
| METL051 Serviceman's Friend Tool                       |             | METL051                                                                            |

| PRESTO-TAP                                                                          |              |  |
|-------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------|
| PRODUCT DESCRIPTION                                                                 | TGG PART #   |                                                                                      |
| 1212KIT Rego Flexible Tube Water Manometer Kit                                      | REG1212KIT   |                                                                                      |
| 2434A Rego Low Pressure Test Set                                                    | REG2434A     |                                                                                      |
| 2962 Rego SN M.POL X F.POL High Pressure Gauge Adapter                              | REG2962      |                                                                                      |
| LDS2000RV Presto-Tap Tank & Regulator Press Fitting With 54 Orifice (Tank Pressure) | REGLDS2000RV |                                                                                      |
| Presto Tap Regulator Valve - Low Pressure                                           | REGRVL       |                                                                                      |
| PTU-KIT Presto-Tap Universal Service Tech Leak Test Kit                             | REGPTUKIT    |                                                                                      |

#### Kit Contents:

**6800 KG W/ADAPTER** - 300# Ambient Temperature gauge used for Leak Testing at tank pressure with Presto Tap® pigtails, TPF fittings and RegO® "Ready to Go" series valves.

**PT30 KG W/Adapter** - 30# gauge for determining first stage regulator lock up and flow along with leak testing.

**PT-5# KG** - 5# gauge for determining lock up and flow on Two Pound Systems.

**PT-OZ KG W/Adapter** - 0-35 inch water column gauge for measuring second stage regulator lock up and flow with low pressure leak testing.

**MHA Kit** - Adapter used to facilitate use of master manometers (water manometers), heli gauges.

**3/16" Allen/Hex Key** - for plug removal in regulators.

**Universal Flex Hose** - 36" flexible hose with gauge bleeder and adapters utilized to universally connect with all gauging equipment above and Presto Tap LDS2000/RV product installed in the system.

**LDS2000/RV** - (6) UL Listed fittings with #54 orifice legal installed at any point in the system.

**Kit Bag** - 12" Tool Denier Nylon Tool bag with 8 outer and 15 inner pockets.

| PRODUCT DESCRIPTION                                        | TGG PART # |  |
|------------------------------------------------------------|------------|---------------------------------------------------------------------------------------|
| PTOZ Presto-Tap 20 Oz Gauge (0-35"w.c.)                    | REGPTOZ    |                                                                                       |
| PT5 Presto Tap 5 PSI Gauge                                 | REGPT5     |                                                                                       |
| PT30LP Presto-Tap 30 PSI Gauge                             | REGPT30LP  |                                                                                       |
| PT6800-S Presto-Tap 300 PSI Gauge, Quick Adapter & Holster | REGPT6800S |                                                                                       |
| PT6800 Presto-Tap 300 PSI Gauge                            | REGPT6800  |                                                                                       |

## POL FITTINGS, ADAPTORS, & VALVES

| PRODUCT DESCRIPTION                                                   | TGG PART # |
|-----------------------------------------------------------------------|------------|
| MEPI00 POL Thread Clean Out Tool                                      | MEPI00     |
| F.POL X 1/2" FPT Coupling / Adapter                                   | FAI2016D   |
| F.POL X 1/4" FPT Coupling / Adapter                                   | FAI2016B   |
| F.POL X 3/4" MPT Coupling / Adapter                                   | FAI2011E   |
| F.POL X 1/2" MPT Coupling / Adapter                                   | FAI2011D   |
| F.POL X 1/4" MPT Coupling / Adapter                                   | FAI2011B   |
| POL X 1/4" FPT Coupling                                               | FAI2008B   |
| 1/2" SAE 45 Flare X POL Adapter                                       | FAI20058   |
| 3/8" SAE 45 Flare X POL Adapter                                       | FAI20056   |
| 7/8" Hex POL Nut                                                      | FAI2002B   |
| 970 Rego 1/4" M.NPT X Hard Nose POL Inlet Fitting                     | REG970     |
| 970AW Rego 1/4" M.NPT X Soft Nose POL Inlet Fitting With Handwheel    | REG970AW   |
| 970AX Rego 1/4" M.NPT X Hard Nose POL Inlet Fitting With Excess Flow  | REG970AX   |
| 970AXS Rego 1/4" M.NPT X Soft Nose POL Inlet Fitting With Excess Flow | REG970AXS  |
| 970HT Rego 1/4" M.NPT X Soft Nose POL Inlet Fitting With Handwheel    | REG970HT   |
| 970S Rego 1/4" M.NPT X Soft Nose POL With Wrench Nut                  | REG970S    |
| 970WXS Rego 1/4" M.NPT X Soft Nose POL Inlet Fitting With Excess Flow | REG970WXS  |
| 5761D Rego F.POL X 3/4" M.NPT Adapter                                 | REG5761D   |
| 5761C Rego F.POL X 1/2" MPT Adapter                                   | REG5761C   |
| 5761A Rego F.POL X 1/4" M.NPT Adapter                                 | REG5761A   |
| 5760S Rego F.POL X F.POL Adapter                                      | REG5760S   |
| 5760D Rego F.POL X 3/4" F.NPT Adapter                                 | REG5760D   |
| 5760C Rego F.POL X 1/2" F.NPT Adapter                                 | REG5760C   |
| 5760A Rego F.POL X 1/4" FPT Adapter                                   | REG5760A   |
| 2906G Rego M.POL X 1/2" FPT Adapter                                   | REG2906G   |
| 2906F Rego M.POL X 3/8" SAE Flare Adapter                             | REG2906F   |
| 2906E Rego M.POL X 1/2" M.FLR POL Adapter                             | REG2906E   |



## EXCESS FLOW VALVES

| PRODUCT DESCRIPTION                                       | TGG PART # |
|-----------------------------------------------------------|------------|
| REG970                                                    | REG3188A   |
| REG970AW                                                  | REG3188B   |
| REG970AX                                                  | REG3188C   |
| 3199W Rego HD M.POL X 1/4" M.NPT Adapter With Excess Flow | REG3199W   |

## POL PLUGS

| PRODUCT DESCRIPTION                    | TGG PART # |
|----------------------------------------|------------|
| N970P Rego POL Plastic Plug            | REGN970P   |
| PLUG-POL Plastic POL Plug w/ Strap Red | FAIPLUGPOL |
| OR-POL POL O-Ring                      | FAIORPOL   |

## CYLINDER VALVE WRENCHES

| PRODUCT DESCRIPTION                 | TGG PART # |
|-------------------------------------|------------|
| M.POL Cylinder Valve Wrench         | MEPI21     |
| 1-5/16" F.Acme 2Pc Cyl Valve Wrench | MEPI22     |



Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.



| <b>SHERLOCK LEAK DETECTOR</b>                 |                    |
|-----------------------------------------------|--------------------|
| <b>PRODUCT DESCRIPTION</b>                    | <b>TGG PART #</b>  |
| 16 oz Bottle w/Spray for Leak Detector        | WINBTL16CYLLT      |
| 8 oz Bottle w/Dauber for Leak Detector        | WINBTL8DBRLT       |
| 16 oz Bottle w/Brush for Leak Detector        | WINBTL16PINTWINTON |
| Sherlock Gas Leak Detector Low Temp Gallon    | WINLTG4            |
| <b>RACHET STRAPS</b>                          |                    |
| <b>PRODUCT DESCRIPTION</b>                    | <b>TGG PART #</b>  |
| 2" X 16' Ratchet Strap w/ E Fittings & Hook   | RSUS2RSEFWH        |
| 2" X 27' Ratchet Strap w/Flat Hook            | RSUSSRSFH27        |
| <b>WASP &amp; HORNET SPRAY</b>                |                    |
| <b>PRODUCT DESCRIPTION</b>                    | <b>TGG PART #</b>  |
| 14OZ WASP & HORNET SPRAY                      | TVHG187978         |
| <b>METHANOL INJECTOR</b>                      |                    |
| <b>PRODUCT DESCRIPTION</b>                    | <b>TGG PART #</b>  |
| MEP700 1-1/4" F.Acme Liquid Methanol Injector | MEP700             |



## **GAUGING DRILL KITS, INDIVIDUAL DRILLS, TAPERED BROACHES, AND GAUGING REAMERS BY ANDERSON FORRESTER**

| <b>PRODUCT DESCRIPTION</b>                       | <b>TGG PART #</b> |
|--------------------------------------------------|-------------------|
| Gauging Drills sizes #40-#80 w/ Tapered Broach   | AFGDK4080         |
| Graphite Stop Cock Grease 2.0oz up to 185 deg.   | AFVA126           |
| .003-.013" Tapered Broach w/ Handle              | AFGB3020          |
| Honeywell Orifice 0.6 length .342 round alum     | AFMH858010        |
| 1/2"X5/16"-27 UNS Gas Jet 206                    | AFBJ206           |
| 1/4"X7/16"X21/32" Break-Away Nut & Sleeve        | AFCF641           |
| 1/2"X1/8"-27 NPT Blank Regular Cap Orific        | AFCO401           |
| 1/2"X3/8"-40 Regular Cap Orifice UNS             | AFCO402           |
| #57 Gauging Drill w/Handle                       | AFGD0057          |
| Blank Master Orifice Adapter                     | AFMII00           |
| LP Master Orifice Adapter #72                    | AFMII0072         |
| 1/4"X11/32"X1/4"L (28) thread Flat Tip Orifice   | AFPO508           |
| 5/16"X11/32"x 3/8L (32) threads Flat Tip Orifice | AFPO518           |
| TL102 Retractable Orifice Reamer Cleaner         | AFTL102           |



| <b>SUMTER COATINGS TANK PAINT</b>        |                   |
|------------------------------------------|-------------------|
| <b>PRODUCT DESCRIPTION</b>               | <b>TGG PART #</b> |
| Sumter Uni-Pox Off White Primer          | SUM855W1370       |
| Sumter No. 5 Tan Coating Blued White     | SUM880W2203       |
| 880W2201 No. 7 Silicone Alkyd White      | SUM880W2201       |
| 855D1373 Uni-Pox Gray Primer             | SUM855D1373       |
| 880D0130 Tank Enamel Mist Gray           | SUM880D0130       |
| 880D4450 Tank Enamel Pearl Aluminum Gray | SUM880D4450       |
| 880L0184 Tank Enamel Tan                 | SUM880L0184       |
| 880N2209 (122) Foot Ring Protector       | SUM880N2209       |
| 888S2005 SC2000 Aluminum Tank Coating    | SUM888S2005       |
| 888S2006 SC2110 Strontium Chromate Alumi | SUM888S2006       |
| 888S2006 SC2110 Strontium Chromate Alumi | SUM888S2006       |



## VIEGA MEGAPRESS GAS PRESS FITTINGS & TOOLS

| PRODUCT DESCRIPTION                            | TGG PART #  |
|------------------------------------------------|-------------|
| 3/4" Press X Press Black Gas Coupling          | 34BPGCOUP   |
| 3/4" Press Black Gas Tee                       | 34BPGT      |
| 3/4" Press X Press Black Gas 45 Elbow          | 34BPG45     |
| 3/4" Press X Press Black Gas 90 Elbow          | 34BPG90     |
| 1/2" Press X Male Black Gas Adapter            | 12BPGMA     |
| 3/4" Press X Male Black Gas Adapter            | 34BPGMA     |
| 1" Press Black Gas Tee                         | 1BPGT       |
| 1" Press X Press Black Gas 45 Elbow            | 1BPG45      |
| 1" Press X Press Black Gas Coupling            | 1BPGCOUP    |
| 1" Press X Press Black Gas 90 Elbow            | 1BPG90      |
| 1" X 3/4" Ftg X Press Black Gas Reducer        | 1.34BPGFR   |
| 1" Press X Fitting Black Gas St 90 Elbow       | 1BPGST90    |
| 1" Press X Fitting Black Gas St 45 Elbow       | 1BPGST45    |
| 1-1/4" Press X Press Black Gas 90 Elbow        | 114BPG90    |
| 1-1/4" Press X Press Black Gas Coupling        | 114BPGCOUP  |
| 1-1/4" Press X Press Black Gas 45 Elbow        | 114BPG45    |
| 1-1/4" Press X Fitting Black Gas St 90 Elbow   | 114BPGST90  |
| 1-1/4" X 1-1/4" X 3/4" Press Black Gas Tee     | 114.34BPGT  |
| 1-1/4" Press Black Gas Tee                     | 114BPGT     |
| 1-1/4" X 1-1/4" X 1" Press Black Gas Tee       | 114.1BPGT   |
| M18 Force Logic Long Throw Press Tool Kit      | MIL277320L  |
| M18 Black Iron Press Jaw Only Kit 1/2"-2" Jaws | MIL49162697 |
| M18 Black Iron Press Jaw Only Kit 1/2"-1" Jaws | MIL49162696 |



## RINNAI WATER HEATERS & DIRECT VENT HEATERS

| PRODUCT DESCRIPTION                              | TGG PART #   |
|--------------------------------------------------|--------------|
| 180K Luxury Tankless LP Gas Wtr Htr Indoor       | RINRL75IP    |
| 199K Luxury Tankless LP Gas Wtr Htr Indoor       | RINRL94IP    |
| 21" Univ Non-Cond Horiz Termination W/90         | RIN223182    |
| 11.5" Univ Non-Cond Horiz Termination W/90       | RIN223181    |
| 130K SE+ Tankless LP Gas Wtr Htr Indoor          | RINRU130IP   |
| 160K SE+ Tankless LP Gas Wtr Htr Indoor          | RINRU160IP   |
| 180K SE+ Tankless LP Gas Wtr Htr Indoor          | RINRU180IP   |
| 199K SE+ Tankless LP Gas Wtr Htr Indoor          | RINRU199IP   |
| 160K SE+ Cond Tankless LP Gas Wtr Htr Indoor     | RINRUR160IP  |
| 199K SE+ Cond Tankless LP Gas Wtr Htr Indoor     | RINRUR199IP  |
| 3" / 5" Cond Horiz Termination Kit 21" W/ 9      | RIN223177PP  |
| 2" / 4" Cond Horiz Termination Kit 21" W/ 9      | RIN229013NPP |
| 3" / 5" Cond Horiz Termination Kit 12" W/ 9      | RIN223176PP  |
| 8K Direct Vent LP Gas Wall Furnace Beige         | RINEX08CTP   |
| 11K Direct Vent LP Gas Wall Furnace Beige        | RINEX11CTP   |
| 16.7K Direct Vent LP Gas Wall Furnace Beige      | RINEX17CTP   |
| **20.7K Direct Vent LP Gas Wall Furnace Beige ** | RINEX22CTP   |
| **36.5K Direct Vent LP Gas Wall Furnace Beige ** | RINEX38CTP   |
| Rinnai Wall Thermostat Installation Kit          | RIN204000045 |

\*\* AVAILABLE IN WHITE



Click on or Scan this code with our  
Mobile app or your smartphone camera  
to view these products online.



## RINNAI WATER HEATERS & DIRECT VENT HEATERS

### VENT KITS & VENT EXTENSIONS

| PRODUCT DESCRIPTION                     | TGG PART #   |
|-----------------------------------------|--------------|
| 9.5-15.75" B Vent Kit f/Wall Furnace    | RINFOT152    |
| Rinnai Wall Thermostat Installation Kit | RIN204000045 |

### FOR MODELS EX11

|                                                             |           |
|-------------------------------------------------------------|-----------|
| FOT-155 Rinnai 11.4" - 20.3" Vent Extension Pipe For EX11C  | RINFOT155 |
| FOT-156 Rinnai 21" - 39.6" Vent Extension Pipe For EX11C    | RINFOT156 |
| FOT-157 Rinnai 61" - 79.6" Vent Extension Pipe For EX11C    | RINFOT157 |
| FOT-158 Rinnai Vent Pipe Elbow & Stopper Kit                | RINFOT158 |
| FOT-201 Rinnai Long Elbow With IntakeHose For Extension Kit | RINFOT201 |

### FOR MODELS EX17/EX22

|                                                                  |           |
|------------------------------------------------------------------|-----------|
| FOT-219 Rinnai 11.4" - 20.3" Vent Extension Pipe For EX17C EX22C | RINFOT219 |
| FOT-220 Rinnai 21" - 39.6" Vent Extension Pipe For EX17C EX22C   | RINFOT220 |
| FOT-221 Rinnai 61" - 79.6" Vent Extension Pipe For EX17C EX22C   | RINFOT221 |
| FOT-158 Rinnai Vent Pipe Elbow & Stopper Kit                     | RINFOT158 |
| FOT-201 Rinnai Long Elbow With IntakeHose For Extension Kit      | RINFOT201 |

### FOR MODEL EX38

|                                                                   |           |
|-------------------------------------------------------------------|-----------|
| FOT-102 Rinnai 11.4" - 20.3" Vent Extension Pipe For EX38 & EX38W | RINFOT102 |
| FOT-103 Rinnai 21" - 39.6" Vent Extension Pipe For EX38 & EX38W   | RINFOT103 |
| FOT-114 Rinnai 61" - 79.6" Vent Extension Pipe For EX38 & EX38W   | RINFOT114 |
| FOT-115 Rinnai Elbow For Extension Kit For EX38 & EX38W           | RINFOT115 |

### VENT KITS

|                                                           |           |
|-----------------------------------------------------------|-----------|
| FOT-150 Rinnai 3" - 4.5" S Vent Kit For Wall Furnace      | RINFOT150 |
| FOT-151 Rinnai 4.5" - 9.5" A Vent Kit For Wall Furnace    | RINFOT151 |
| FOT-152 Rinnai 9.5" - 15.75" B Vent Kit For Wall Furnace  | RINFOT152 |
| FOT-153 Rinnai 15.75" - 23.6" C Vent Kit For Wall Furnace | RINFOT153 |
| FOT-154 Rinnai 23.6" - 31.5" D Vent Kit For Wall Furnace  | RINFOT154 |
| 10K Fan Convactor Vent Free LP Gas Heater                 | RINFC510P |
| 24K Fan Convactor Vent Free LP Gas Heater                 | RINFC824P |



\*\*\* ALL VENT KITS, VENT EXTENSIONS, ELBOWS, INTAKE HOSES, & REPAIR PARTS ARE AVAILABLE\*\*\*

## METERS & ACCESSORIES

| PRODUCT DESCRIPTION                            | TGG PART #      |
|------------------------------------------------|-----------------|
| 3/4" NPT-F Side Inlet 5 PSI American Meter     | AM250.34        |
| 20 Meter Light 1" Top Mnt 5 PSI American Meter | AC250.1         |
| Meter Set 3/4" NPT Side Tap F/AM250            | UPSUAMP00008236 |
| Meter Set 20ML W/Angle Reg W/3/4" Outlet       | UPSUAMP00005234 |
| Meter Set 20ML W/Flush Reg W/3/4" Outlet       | UPSUAMP00005218 |
| 20ML Complete Triple Meter Header F/AC250      | UPSUAMB00008264 |
| 20ML Complete Double Meter Header F/AC250      | UPSUAMB00008263 |
| 20LT Single Meter Bar W/ 3/4" Inlet / Outlet   | UPSUABR00008605 |
| Meter Set Bracket U-Bolt 1-7/8" X 2-1/2"       | UPSU40600       |
| Meter Set Bracket U-Bolt 1-3/8" X 2"           | UPSU40500       |
| 1"/20LT Meter Conn Set W/Gasket Nut & Swivel   | 20LT1           |



Scan with the Catalog Scan option in our Mobile app or your smartphone camera to view these propane products in our Online Store



A tall, silver Rinnai tankless water heater is mounted on a grey wall in a laundry room. To the left, a white sink and a shelf with laundry detergent are visible. To the right, a white front-loading washing machine is partially shown. The heater has a white vent pipe on top and a small Rinnai logo on its front panel.

**Rinnai**  
TANKLESS WATER HEATERS

# endless

comfort and savings


We design heating solutions that deliver more and waste less.

Rinnai Tankless Water Heaters deliver energy efficiency at it's best. With the advanced technology of our Tankless Water Heaters, customers can enjoy an endless supply of hot water while saving on energy costs and space.

Rinnai America offers high efficiency and super high efficiency Propane models and is a National Propane Georgia Association Member.

Learn more at [rinnai.us](http://rinnai.us).

| LABELS                                                   |            |
|----------------------------------------------------------|------------|
| PRODUCT DESCRIPTION                                      | TGG PART # |
| Shoulder Label UN1075 500 Per Roll                       | LS25014G   |
| Petroleum Gas Liquefied Shoulder Label 500 Per Box       | LS25013G   |
| NFPA Propane Hazard Rating 250 Per Roll                  | LS86746    |
| Propane Bulk Tank Sheeted 10x10 Special Order 24 Minimum | LS127172G  |
| No Smoking or Open Flame Sign 4"x20"                     | LS8005     |



| NFPA CODE BOOKS     |            |
|---------------------|------------|
| PRODUCT DESCRIPTION | TGG PART # |
| NFPA 54 Book 2015   | NFP5415    |
| NFPA 54 Book 2009   | NFP5409    |
| NFPA 58 Book 2008   | NFP5808    |
| NFPA 58 Book 2014   | NFP5814    |
| NFPA 54 Book 2012   | NFP5412    |
| NFPA 58 Book 2011   | NFP5811    |

| VENTUR-EVAC TANK EVACUATION VALVE             |                    |
|-----------------------------------------------|--------------------|
| PRODUCT DESCRIPTION                           | TGG PART #         |
| Ventur-Evac Tank Evacuation Valve             | VENVVAC1           |
| PUMP OUT KIT                                  |                    |
| PRODUCT DESCRIPTION                           | TGG PART #         |
| 3/4" MPT X 600" Type 1 LP Rubber Hose         | FAII12C600MP12MP12 |
| 1/2" ID 1/2" MPT X 600" Type 1 LP Rubber Hose | FAII8C600MP8MP8    |
| 3/4" 3000# Forged Steel Threaded Coupling     | 34FSC              |



| PUMP OUT KIT                                                               |            |
|----------------------------------------------------------------------------|------------|
| PRODUCT DESCRIPTION                                                        | TGG PART # |
| 1/2" 3000# Forged Steel Threaded Coupling                                  | 12FSC      |
| 101-404 3/4" FMXFM Gas Ball Valve                                          | JOM101404  |
| 1-3/4" M.ACME X 3/4" M.NPT Adapter                                         | REG5765D   |
| 3175 Rego 3/4" M.NPT X 1-3/4" F.ACME Hose Coupling (Liquid)                | REG3175    |
| 3171A Rego 1/2" M.NPT X 1-1/4" F.ACME Hose Coupling (Vapor)                | REG3171A   |
| 1-1/4" M.Acme X 1/2" MPT X 1/4" FPT Adapter                                | ME49842    |
| 7590U-10 Rego 1-5/8" UNF 3/4" F.NPT Union Adapter For 7590U & 7591U Valves | REG7590U10 |
| 7550P Rego 3/4" M.NPT X 3/4" F.NPT Liquid Transfer Angle Valve             | REG7550P   |
| 3 1/4" F.ACME X 1 1/4" M.ACME Adapter                                      | REGA5776   |
| 3175B Rego 1/2" M.NPT X 1-3/4" F.ACME Hose Coupling (Liquid)               | REG3175B   |
| 1/4" M.NPT 450 PSI Hydrostatic Relief Valve                                | REG3127U   |
| 3121 Rego 1-3/4" F.ACME X 3/4" F.NPT Angle Unload Adapter                  | REG3121    |



| LP DELIVERY HOSE & HOSE END FILLING GUN                                                                                                                                                                                                                      |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| DELIVERY HOSE END VALVE                                                                                                                                                                                                                                      |            |
| Designed to vastly reduce the amount of product vented when disconnecting bobtail delivery trucks and dispensing systems. These valves provide instant, full-on flow at the flip of a handle. Shut-off is instant and the handle locks for added protection. |            |
| PRODUCT DESCRIPTION                                                                                                                                                                                                                                          | TGG PART # |
| A7797A Rego Delivery Hose End Valve 1" X 1-3/4" F.ACME                                                                                                                                                                                                       | REGA7797A  |



## FILLER HOSE ADAPTERS

These adapters are designed with minimal flow restriction and recommended for use on the outlet of the LP-Gas delivery truck filler hose. If the controlled bleed off of the connection indicates the filler valve on the tank being filled has failed to close, the hose adapter should be left in place on the filler valve and disconnection should be made at the regular filler hose coupling. (Repair of the filler valve must be made as soon as possible). An integral check valve in these adapters helps prevent further loss of product. The standard filler valve cap should be attached to these adapters when left on the container.

| PRODUCT DESCRIPTION                                               | TGG PART #          |
|-------------------------------------------------------------------|---------------------|
| 7576 Rego 1-3/4" MXF ACME Filler Hose Adapter With Bleeder        | REG7576             |
| 7577V Rego 1-3/4" MXF ACME Filler Hose Adapter Swivel Bleeder     | REG7577V            |
| 3179A Rego 1-3/4" F. ACME X 1-3/4" M. ACME Filler Hose Adapter    | REG3179A            |
| 3179B Rego 1-3/4" ACME MXF Filler Hose Adapter With Swivel        | REG3179B            |
| ME570 1-3/4" F. Acme X M. Acme Check Adpt                         | ME570               |
| 1-3/4" F.Acme X 1-3/4" M.Acme Check Adapter W/ Swivel             | ME571               |
| 1-3/4" M.Acme X 1-3/4" F.Acme Check Adapter W/ High Flow Capacity | ME571H              |
| 1-3/4" F.ACME X M ACME Filler Hose Adapter                        | FAI2370             |
|                                                                   |                     |
| 1" X 150' Type 1 Propane Delivery Hose                            | FAI116C1800MP16MP16 |
| *****OTHER HOSE LENGTHS & SIZES AVAILABLE*****                    |                     |



## HOSE END ADAPTERS FOR DOT CYLINDER FILLING

Designed to provide quick and easy filling of DOT cylinders with POL or Type I connections. This adapter may be used with hydraulic and electric automatic systems or with manual systems in conjunction with a RegO 7901TB Quick Acting Shut-Off Valve.

| PRODUCT DESCRIPTION                                           | TGG PART # |
|---------------------------------------------------------------|------------|
| 7193D-10 Rego 1/4" M.NPT X M.POL Hose End DOT Filling Adapter | REG7193D10 |
| 7193T-10 Rego F. POL To Type 1 Fill Adapter                   | REG7193T10 |
| 7193U-10 Rego Type I DOT Filling Adapter                      | REG7193U10 |

## REGO QUICK ACTING VALVES

Designed primarily for use on cylinder charging hoses to provide fast convenient shut-off and fast opening.

| PRODUCT DESCRIPTION                              | TGG PART # |
|--------------------------------------------------|------------|
| 7901T Rego 1/4" X 1/4" F.NPT Quick Acting Valve  | REG7901T   |
| 7901TA Rego 3/8" X 3/8" F.NPT Quick Acting Valve | REG7901TA  |
| 7901TB Rego 1/2" X 1/4" F.NPT Quick Acting Valve | REG7901TB  |
| 7901TC Rego 1/2" X 1/2" F.NPT Quick Acting Valve | REG7901TC  |

## REGO QUICK ACTING VALVES

Designed primarily for use on dispensing hoses to provide safe convenient shut-off and fast opening. These valves feature a locking handle device to help prevent accidental opening of the valve.

| PRODUCT DESCRIPTION                                                   | TGG PART # |
|-----------------------------------------------------------------------|------------|
| 7901TLA Rego 3/8" X 3/8" F.NPT Quick Acting Valve With Locking Handle | REG7901TLA |
| 7901TLB Rego 1/2" X 1/4" F.NPT Quick Acting Valve With Lock           | REG7901TLB |
| 7901TLC Rego 1/2" X 1/2" F.NPT Quick Acting Valve With Lock           | REG7901TLC |



Click on or Scan this code with our Mobile app or your smartphone camera to view these products online.





| LIQUID & VAPOR HOSE COUPLINGS                                   |                    |
|-----------------------------------------------------------------|--------------------|
| PRODUCT DESCRIPTION                                             | TGG PART #         |
| 3175 Rego 3/4" M.NPT X 1-3/4" F.ACME Hose Coupling (Liquid)     | REG3175            |
| 3175A Rego 1" M.NPT X 1-3/4" F.ACME Hose Coupling (Liquid)      | REG3175A           |
| 3175B Rego 1/2" M.NPT X 1-3/4" F.ACME Hose Coupling (Liquid)    | REG3175B           |
| 3185 Rego 1-1/4" M.NPT X 2-1/4" F.ACME Hose Coupling (Liquid)   | REG3185            |
| 3181 Rego 3/4" M.NPT X 1-3/4" F.ACME Hose Coupling (Vapor)      | REG3181            |
| 3181A Rego 1" M.NPT X 1-3/4" F.ACME Hose Coupling (Vapor)       | REG3181A           |
| 3171 Rego 3/8" M.NPT X 1-1/4" F.ACME Hose Coupling (Vapor)      | REG3171            |
| 3171A Rego 1/2" M.NPT X 1-1/4" F.ACME Hose Coupling (Vapor)     | REG3171A           |
| 3191 Rego 1-1/4" M.NPT X 2-1/4" F.ACME Hose Coupling (Vapor)    | REG3191            |
| 3195-50 Rego 2-1/4" & 3-1/4" Spanner Wrench For ACME Connectors | REG319550          |
| FAIRVIEW LP HOSES                                               |                    |
| PRODUCT DESCRIPTION                                             | TGG PART #         |
| 3/8" ID 3/8" F.SAE X 3/8" M X 72" Hose                          | FAII6C72FS6MP6     |
| 3/8" ID 3/8" F.SAE X 3/8" M X 144" Hose                         | FAII6C144FS6MP6    |
| 1/2" ID 1/2" MPT X 600" Type 1 LP Rubber Hose                   | FAII8C600MP8MP8    |
| 1/2" ID 1/2" MPT X 300" Type 1 LP Rubber Hose                   | FAII8C300MP8MP8    |
| 3/4" MPT X 600" Type 1 LP Rubber Hose                           | FAII12C600MP12MP12 |
| 3/4" ID 3/4" MPT X 300" Type 1 LP Rubber Hose                   | FAII12C300MP12MP12 |
| 1" ID 1" MPT X 600" Type 1 LP Rubber Hose                       | FAII16C600MP16MP16 |
| 1" ID 1" MPT X 300" Type 1 LP Rubber Hose                       | FAII16C300MP16MP16 |



| WARDFLEX GAS PIPING                            |              |
|------------------------------------------------|--------------|
| PRODUCT DESCRIPTION                            | TGG PART #   |
| 15C 1/2" X 100' Ft Coil; MAX Black SS Gas Pipe | WAR15CWF100  |
| 20C 3/4" X 100' Ft Coil; MAX Black SS Gas Pipe | WAR20CWF100  |
| 20A 3/4 X 100 FT COIL;CSST Yellow SS Gas Pipe  | WAR20AWF100  |
| 15A 1/2 X 100 FT COIL;CSST Yellow SS Gas Pipe  | WAR15AWF100  |
| 15M X 1/2" Male Mech;Joint Fitting 202         | WAR15MXDWFMJ |
| 20M X 3/4"Male Mech;Joint Fitting 203          | WAR20MXEWFMJ |



\*\*\*Up to 2" in stock of each type\*\* \*\*\*Full line of fittings and terminations in stock\*\*\*

| TEST EQUIPMENT AND ANALYZER                  |            |
|----------------------------------------------|------------|
| PRODUCT DESCRIPTION                          | TGG PART # |
| Residential Combustion Analyzer              | UEIC161    |
| Combustion Kit                               | UEIC165KIT |
| CO Carbon Monoxide Detector Adapter          | UEICOA1    |
| Wireless CO Carbon Monoxide Detector         | UEICOA2    |
| Combustible Gas Leak Detector                | UEICD100A  |
| Dual Differential Digital Manometer          | UEIEM152   |
| Dual Input Differential Electronic Manometer | UEIEM201B  |
| Digital Multi-Meter Auto Ranging             | UEIUTLDM2  |



| DWYER MANOMETERS                                                                                                                                                                                             |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| PRODUCT DESCRIPTION                                                                                                                                                                                          | TGG PART # |
| Dwyer 1212 Slack Tube Manometer Kit                                                                                                                                                                          | DWY1212    |
| The MODEL 1212 Gas Pressure Kit in comes supplied with a 1211-16 Slack Tube® Manometer, carrying case, necessary tubing, and connection fittings for checking gas pressures in virtually all gas appliances. |            |
| Dwyer LPTK-01 Low Pressure Test Kit                                                                                                                                                                          | DWYLPTK01  |
| Dwyer A-102 4 Oz Red Gage Fluid                                                                                                                                                                              | DWYA102    |
| Dwyer A-126 1 Oz Green Gage Fluid                                                                                                                                                                            | DWYA126    |
| Dwyer 2030 Magnahelic Gauge 0"-30" WC                                                                                                                                                                        | DWY2030    |
| Dwyer A-432 Carrying Case for Magnahelic Gauge                                                                                                                                                               | DWY432     |



| KOHLER GENERATORS                                                   |                     |
|---------------------------------------------------------------------|---------------------|
| PRODUCT DESCRIPTION                                                 | TGG PART #          |
| <b>12 KW GENERATOR</b>                                              |                     |
| Vert Generator 12kW 120/240V 1Ph UL2200                             | KOH12RESVQS4        |
| <b>ACCESSORIES</b>                                                  |                     |
| 14-20KW 510CCA Generator Battery                                    | NB651               |
| Carburetor Heater 40W 120V                                          | KOHGM57969KP5QS     |
| FG3437-3K DiversiTech 3" UltraPad F/RESV 34" X 37"                  | DIVFG34373K         |
| Maintenance Kit F/10/12RESV                                         | KOHGM90366SKPIQS    |
| Battery Heater 50W 110-120V                                         | KOHGM92406KP3QS     |
| <b>200 AMP NEMA 3 TRANSFER SWITCHES</b>                             |                     |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Shed (Intchg)               | KOHRXTJFNC0200AQS7  |
| Service Rated NEMA 3R Transfer Switch 240V 1Ph W/Load Shed (Intchg) | KOHRXTJFNC200ASEQS4 |
| <b>100 AMP NEMA 3 TRANSFER SWITCHES</b>                             |                     |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Shed                        | KOHRXTJFNC0100AQS7  |
| Service Rated NEMA 3R Transfer Switch 240V 1Ph W/Load Shed          | KOHRXTJFNC100ASEQS4 |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Center                      | KOHRXTJFNC0100BQS3  |
| <b>14 KW GENERATOR</b>                                              |                     |
| 14RCA 14kW 120/240V 1 Ph Cls Clrnc Generator                        | KOH14RCAQS          |
| <b>ACCESSORIES</b>                                                  |                     |
| 14-20KW 510CCA Generator Battery                                    | NB651               |
| 14KW 120V Cold Weather Kit                                          | KOHGM102231KP1QS    |
| FG3253-3K DiversiTech 3" UltraPad F/14RCA / 20RCA 52-1/2" X 31-1/2" | DIVFG32533K         |
| Maintenance Kit F/12/14                                             | KOHGM62346SKPIQS    |
| <b>200 AMP NEMA 3 TRANSFER SWITCHES</b>                             |                     |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Shed                        | KOHRXTJFNC0200AQS7  |
| Service Rated NEMA 3R Transfer Switch 240V 1Ph W/Load Shed          | KOHRXTJFNC200ASEQS4 |
| <b>100 AMP NEMA 3 TRANSFER SWITCHES</b>                             |                     |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Shed                        | KOHRXTJFNC0100AQS7  |
| Service Rated NEMA 3R Transfer Switch 240V 1Ph W/Load Shed          | KOHRXTJFNC100ASEQS4 |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Center                      | KOHRXTJFNC0100BQS3  |
| <b>20 KW GENERATOR</b>                                              |                     |
| 20RCA 20kW 120/240V 1 Ph Cls Clrnc Generator                        | KOH20RCAQS          |
| <b>ACCESSORIES</b>                                                  |                     |
| 14-20KW 510CCA Generator Battery                                    | NB651               |
| 20KW 120V Cold Weather Kit                                          | KOHGM102231KP3QS    |
| FG3253-3K DiversiTech 3" UltraPad F/14RCA / 20RCA 52-1/2" X 31-1/2" | DIVFG32533K         |
| Maintenance Kit F/12/14                                             | KOHGM62346SKPIQS    |
| <b>200 AMP NEMA 3 TRANSFER SWITCHES</b>                             |                     |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Shed                        | KOHRXTJFNC0200AQS7  |
| Service Rated NEMA 3R Transfer Switch 240V 1Ph W/Load Shed          | KOHRXTJFNC200ASEQS4 |
| <b>100 AMP NEMA 3 TRANSFER SWITCHES</b>                             |                     |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Shed                        | KOHRXTJFNC0100AQS7  |
| Service Rated NEMA 3R Transfer Switch 240V 1Ph W/Load Shed          | KOHRXTJFNC100ASEQS4 |
| NEMA 3R Transfer Switch 240V 1Ph W/Load Center                      | KOHRXTJFNC0100BQS3  |

# KOHLER® Generators



Click on or Scan this code with our  
Mobile app or your smartphone camera  
to view these products online.





Yellow and Black CSST are  
compatible with all WARDFlex fittings.

**WARD**Flex

**WARD**Flex**MAX**

**WARD**MFG



WARDFlex<sup>®</sup> ensures the highest quality and safety with our complete line of corrugated stainless steel tubing and accessories. Our CSST is proudly made in America and compatible with all WARDFlex fittings, giving the power of choice to consumers. Learn more at [www.wardmfg.com](http://www.wardmfg.com).

800-248-1027 | [www.wardmfg.com](http://www.wardmfg.com) | 117 GUILICK STREET | BLOSSBURG, PA

# LOCATIONS ACROSS NEW ENGLAND

## CONNECTICUT

-  **COLCHESTER, CT**  
 464 South Main St Colchester, CT 06415  
(860) 603-3550
-  **GROTON, CT**  
 1425 Gold Star Hwy. Groton, CT 06340  
(860) 629-7620
-  **NEW LONDON, CT**  
75 Jefferson Avenue New London, CT 06320  
(860) 629-7900
-  **NORTH HAVEN, CT**  
300 Sackett Point Rd North Haven, CT 06473  
(203) 836-5410
-  **NORWICH, CT**  
47-49 New London Tpk. Norwich, CT 06360  
(860) 319-2050
-  **OLD SAYBROOK, CT**  
 45 Connolly Dr Old Saybrook, CT 06475  
(860) 661-3770
-  **PLAINFIELD, CT**  
873 Norwich Rd Plainfield, CT 06374  
(860) 457-1070
-  **PUTNAM, CT**  
71-81 Front Street Putnam, CT 06260  
(860) 821-2010
-  **WEST HARTFORD, CT**  
674 Oakwood Avenue W.Hartford, CT 06110  
(860) 297-7690

## MASSACHUSETTS

-  **HAVERHILL, MA**  
24 Shelley Rd Haverhill, MA 01835  
(978) 487-0780
-  **LEOMINSTER, MA**  
320 Hamilton St Leominster, MA 01543  
(978) 728-0710
-  **LOWELL, MA**  
 1035 Westford St Lowell, MA 01851  
(978) 323-2100
-  **STURBRIDGE, MA**  
138 Main Street Sturbridge, MA 01566  
(774)490-0030
-  **WESTBOROUGH, MA**  
74 Otis Street Westborough, MA 01581  
(508) 768-0370
-  **WORCESTER, MA**  
36 Boylston Street Worcester, MA 01605  
(508) 373-1740

## RHODE ISLAND

-  **LINCOLN, RI**  
8 Court Dr Lincoln, RI 02865  
(401) 616-3080
-  **NARRAGANSETT, RI**  
25 Walt's Way Narragansett, RI 02882  
(401) 360-1900
-  **WESTERLY, RI**  
 114 Cross St Westerly, RI 02891  
(401) 315-1980

## MAINE

-  **AUBURN, ME**  
660 Minot Ave Auburn, ME 04210  
(207) 514-1280
-  **AUGUSTA, ME**  
68 Darin Dr Augusta, ME 04330  
(207) 405-2010
-  **BANGOR, ME**  
32 Thatcher St Bangor, ME 04401  
(207) 300-2310
-  **LEWISTON, ME**  
380 Lincoln St Lewiston, ME 04210  
(207) 333-4340
-  **PORTLAND, ME**  
 331 Warren Ave Portland, ME 04103  
(207) 400-8330
-  **SOUTH PORTLAND, ME**  
155 Rumery St S. Portland, ME 04106  
(207) 321-0080

## VERMONT

-  **BARRE, VT**  
1193 US Route 302 Barre, VT 05641  
(802) 661-3880
-  **MORRISVILLE, VT**  
73 Northgate Ave Morrisville, VT 05661  
(802) 851-0940
-  **NEWPORT, VT**  
565 Union St Newport, VT 05855  
(802) 323-1330
-  **RUTLAND, VT**  
 160 Seward Rd Rutland, VT 05701  
(802) 665-0060
-  **ST. ALBANS, VT**  
362 Swanton Rd St. Albans, VT 05478  
(802) 393-6060
-  **S. BURLINGTON, VT** (On-The-Go)  
37 Commerce St S. Burlington, VT 05403  
(802) 383-4510
-  **S. BURLINGTON, VT**  
 20 Gregory Dr S. Burlington, VT 05403  
(802) 383-4500

## NEW HAMPSHIRE

-  **CONCORD, NH**  
 6 Storrs St Concord, NH 03301  
(603) 545-3300
-  **CONWAY, NH**  
624 Main St. (Route 16) Conway, NH 03818  
(603) 733-1020
-  **EXETER, NH**  
 152 Epping Rd Exeter, NH 03833  
(603) 395-2110
-  **GILFORD, NH**  
13 Waterford Pl Gilford, NH 03246  
(603) 832-2030
-  **HOOKSETT, NH**  
12 Londonderry Tpk. Hooksett, NH 03105  
(603) 518-1400
-  **KEENE, NH**  
21 Victoria Ct Keene, NH 03431  
(603) 757-1040
-  **LEBANON, NH**  
 266 Mechanic St Lebanon, NH 03766  
(603) 442-6490
-  **LITTLETON, NH**  
831 Meadow St Littleton, NH 03561  
(603) 545-3460
-  **LONDONDERRY, NH** (On-The-Go)  
11 Ricker Ave Londonderry, NH 03053  
(603) 845-0850
-  **MANCHESTER, NH**  
 37 Amoskeag St Manchester, NH 03102  
(603) 518-1500
-  **MILFORD, NH**  
183 Elm St Milford, NH 03055  
(603) 732-0590
-  **NASHUA, NH**  
29-31 Amory St Nashua, NH 03060  
(603) 459-2510
-  **NASHUA, NH** Nashua Home Design Ctr  
520 Amherst Street, Unit #4  
Nashua, NH 03036  
(603) 459-2511
-  **PORTSMOUTH, NH**  
100 Coakley Rd Portsmouth, NH 03801  
(603) 545-3480
-  **ROCHESTER, NH**  
 412 Gonic Rd. (Rte. 125)  
Rochester, NH 03867  
(603) 822-3010
-  **SALEM, NH** (On-The-Go)  
9-11 Delaware Dr Salem, NH 03079  
(603) 420-1020